

New Mexico Traffic Crash Database

Crash-Level Data Dictionary and User's Guide

Publication Date: November 2019

A technical guide to the traffic crash data collected by the New Mexico Department of Transportation, Traffic Safety Division, Traffic Records Bureau (NMDOT).

This document is maintained under contract with NMDOT by the University of New Mexico, Geospatial and Population Studies, Traffic Research Unit (TRU).

Distributed in compliance with New Mexico Statute 66-7-214 as a reference source regarding New Mexico traffic crashes.





Introduction

TYPES OF DATA

The crash data are structured in three levels.

Crash Level

Crash-level data contains information about the **overall crash**, such as location and date. It also contains the most commonly requested aggregated data, such as **the number of people killed in each crash**. A dataset of crash-level data contains one row for each crash.

Vehicle Level

Vehicle-level data contains information about each **vehicle** involved in a crash, along with information about the **driver** of each vehicle. **Pedestrians** and **pedalcyclists** are also included as drivers. A dataset of vehicle-level data contains one row for each vehicle. When combining datasets, certain crash-level variables will be repeated for each vehicle in the crash.

Occupant Level

Occupant-level data contains information about **all people involved in a crash**, both passengers and drivers (including pedestrians and pedalcyclists). A dataset of occupant-level data contains one row for each person involved in a crash. When combining datasets, certain crash-level and vehicle-level variables will be repeated for each person in the crash.

ENTRIES

Entries in this data dictionary describe and explain the database fields (variables). Each entry describes data that can be displayed in a spreadsheet column. Entries contain the following components.

Full Name

A name used to describe each entry. This full name is usually more clear than the name given for the database field. A table of contents on Page 6 lists all full names in the order they occur in this dictionary.

Database Field

The field name in the database. Fields are also called variables. Fields are given short names for convenience in the database. An index of database fields in alphabetical order is available on Page 56.



Type

Three types of data are contained in the NMDOT crash database: character, numeric, and date. Character fields may contain letters, numbers or other symbols. Numeric fields can contain only numbers. Date fields are special numeric data types. When requesting data, it is important to state your preference for either database codes or conversion to a more clear designation, as described in this dictionary. The conversion is performed by TRU in a SAS database, using the SAS conversion formats listed in this dictionary. Only certain fields have this conversion option.

Source

Field data are usually either gleaned directly from the Uniform Crash Report (UCR form) or derived from the UCR form. For example, the UCR form has a space for the crash date. From the date, the database derives a field specifically for the year. Several derived fields are based on a geographic information system or created during the data entry process. The Source element also indicates whether the variable applies to the crash level, occupant level or vehicle level.

Length

The length indicates the length of the field in SAS.

Description

The description provides an explanation about the field, such as variable options and code explanations. This component may include historical information, if the field was different before the database was changed in 2012. For databases older than 2012, see the previous data dictionary.

KEY

The key is the number by which a particular record is identified in the database. In the case of reports in the NMDOT crash database, the UCR Number, Vehicle Number, and Person Number are the primary information used to identify and call each unique database record. For multi-year datasets, the Year must also be a key, because occasionally an identical UCR Number will be used in different years.

NEW CODES FOR DATA QUALITY

Starting in 2013, new codes were added for monitoring data quality.

IC or 98 = Indicates the UCR form contained an invalid code for that field.

LB or 99 =Indicates the field on the UCR form was **left blank**.

In fields where 98 and 99 can be valid (for example, age), codes such as 999 and 998 are used. The pre-2013 values for missing data (blank, null) are gradually being converted to value 99.



Change Record

Date	Field Name	Description of Change	
Aug 29, 2018	StampDate	Added clarification on stamp date for crash reports received via FTP E-delivery.	
Aug 29, 2018	Agency	Identified obsolete law enforcement agency codes and, where applicable, added references to a newer agency code for the following agency codes: 11, 209, 214, 217, 260, 289, 331, 445, and 2013. Also added usage notes for dispatch centers (agency codes 1501-1534) and agencies 800 and 885.	
Sep 26, 2018	TRKinv	Typo correction. A value of 1 indicates "Involved."	
Sep 26, 2018	HZinv	Typo correction. A value of 1 indicates "Involved."	
Oct 17, 2018	Classification_Result	Added possible values of ACR_1Car, ACR_2Car, ACR_3Car, and ACR_4Car.	
Nov 5, 2018	TribalJurisdiction	Added possible values of 98 and 99.	
Jan 3, 2019	Agency	Typo correction. Removed the following statements: 600s = New city-based police agencies and marshals added in 2012 700s = New tribal police added in 2012	
Jan 3, 2019	Agency	Typo correction. Corrected spelling of To'Hajiilee.	
Jan 4, 2019	Agency	Identified the following law enforcement agency codes as obsolete: 63, 67, 90, 95, 105, 111, 115, 138, 140, 165, 187, 218, 283, 289, 290, 328, 335, 355, 416, 440, and 450.	
Jan 16, 2019	City	Identified the following city codes as obsolete: 150 and 702.	
Jun 13, 2019	Agency	Updated agency names to reflect name used by agency. Albuquerque Fire Department changed to Albuquerque Fire Rescue. Mesilla Marshal's Office changed to Mesilla Marshal's Department. San Ysidro Marshal's Office changed to San Ysidro Marshal's Department.	
Jun 14, 2019	Agency	Identified the following law enforcement agency as obsolete: 855 - Western UNM Academy Security.	



Jun 14, 2019	Light	Changed the definition of code 5 from "Dark – unlighted" to "Dark – not lighted".
Jun 18, 2019	рТуре	Changed "H = NM Highway" to "H = NM Dept. of Transportation".



Table of Contents by Full Name

1.	UCR Number8	30.	Crash Direction	26
2.	Crash Date8	31.	GIS Transportation District	27
3.	Year8	32.	GIS Maintenance District	27
4.	Month8	33.	GIS State Police District	27
5.	Military Time9	34.	GIS UTM X Coordinate	28
6.	Hour9	35.	GIS UTM Y Coordinate	28
7.	Day of Week9	36.	GIS Latitude	28
8.	Law Enforcement Agency10	37.	GIS Longitude	28
9.	County15	38.	Original Latitude	28
10.	GIS County15	39.	Original Longitude	28
11.	Original County15	40.	Fatal or Injury Crash	29
12.	City16	41.	Severity	29
13.	GIS City21	42.	Crash Classification	30
14.	Original City21	43.	Crash Classification Analysis Code	30
15.	Primary Street (Occurred On)22	44.	Original Analysis Code	36
16.	GIS Primary Street22	45.	Location of First Harmful Event	36
17.	Nearest Intersecting Street22	46.	Hit-and-Run	36
18.	GIS Nearest Intersecting Street22	47.	Light	37
19.	Landmark23	48.	Private Property	37
20.	Direction from Landmark23	49.	Property Damage Only	38
21.	Distance from Landmark23	50.	Weather	38
22.	Distance from Landmark Measure Unit23	51.	Road Character	38
23.	GIS Route Name24	52.	Road Grade	39
24.	GIS Milepost24	53.	Station Report	39
25.	Original Milepost24	54.	Tribal Jurisdiction	39
26.	Urban or Rural Designation25	55.	Killed	39
27.	Road System25	56.	Suspected Serious Injuries	40
28.	GIS Urban or Rural Designation25	57.	Suspected Minor Injuries	40
29.	GIS Native American Reservation26	58.	Possible Injuries	40



59.	Injured40	88.	Witness Present	.48
60.	Unhurt41	89.	Time Notified	.49
61.	Total People in Crash41	90.	Time Arrived	.49
62.	Number of Vehicles41	91.	Notified By	.49
63.	Original Number of Vehicles41	92.	Supervisor on Scene	.49
64.	Number of Motorized Vehicles41	93.	Checked By	.49
65.	Motorists42	94.	Officer Signature Present	.50
66.	Non-Motorists42	95.	Officer at Scene	.50
67.	Top Factor Contributing to Crash42	96.	Officer Badge Number	.50
68.	Alcohol Involvement43	97.	District	.50
69.	Drug Involvement43	98.	Report Date	.50
70.	Pedestrian Involvement43	99.	Number of Drawings	.51
71.	Motorcycle Involvement44	100.	Drawings By	.51
72.	Pedalcyclist Involvement44	101.	Measurements Taken By	.51
73.	Heavy Truck Involvement44	102.	Case Number	.51
74.	Hazardous Material Involvement45	103.	NMDOT Number	.51
75.	Maximum Vehicle Damage45	104.	CAD Number	.52
76.	Non-local Driver Involvement45	105.	Form ID	.52
77.	Other Property – State Highway Property46	106.	Form Method	.52
78.	Other Property – Property Type46	107.	Form ID Kofax	.53
79.	Other Property – Description47	108.	Classification Result	.53
80.	Other Property – Owner Last Name47	109.	Batch Number	.53
81.	Other Property – Owner First Name47	110.	System Scan	.54
82.	Other Property – Owner Middle Name47	111.	Stamp Date	.54
83.	Other Property – Owner Address47	112.	KTM User	.54
84.	Other Property – Owner City48	113.	Original UCR Number	.54
85.	Other Property – Owner State48	114.	TraCS Data	.55
86.	Other Property – Owner ZIP48	115.	File Location	.55
87.	Other Property – Owner Phone48	116.	Image Location	.55



1. UCR Number

Database Field = UCRnumber

Source = UCR form, crash-level variable

Type = Character

Length = 13

The Uniform Crash Report (UCR) Number serves as the unique identifier within a given year that identifies a given crash within New Mexico for all the vehicles involved in the crash. The UCR number is the number assigned to a particular crash by a law enforcement agency (LEA), or, in the event the law enforcement agency has not assigned a UCR number, the data entry personnel issue this number based on a list of UCR numbers provided by NMDOT. For crash reports submitted on paper forms, the crash report number is preprinted on the form. For crash reports submitted electronically through TraCS (Traffic and Criminal Software), the report number is generated by TraCS from an assigned range. When analyzing data from multiple years, the Year field and the UCR Number field should be used together as the unique key identifier for any crash, because there are occasionally identical UCR Numbers used in different years. Before 2012, this field was called Report.

2. Crash Date

Database Field = CrashDate

Source = UCR form, crash-level variable

Type = Numeric [Displayed with SAS date MMDDYY10.]

Length = 8

This field indicates the date on which the crash occurred. Without the SAS date format, it is the number of days since January 1, 1960 (day zero).

3. Year

Database Field =Year

Source = Derived, crash-level variable

Type = Numeric

Length = 3

This field indicates the year of the crash in the form YYYY. It is derived from CrashDate.

4. Month

Database Field = Month

Source = Derived, crash-level variable

Type = Numeric [Convert to text with SAS format MNTH.]

Length = 3

This field indicates the month of the crash. It is derived from CrashDate.

Variable Options

1 = January	7 = July
2 = February	8 = August
3 = March	9 = September
4 = April	10 = October
5 = May	11 = November
6 = June	12 = December



5. Military Time

Database Field = MilitaryTime

Source = UCR form, crash-level variable

Type = Character [Convert to text with SAS format \$TIME.] Length = 5

This field indicates the time at which the crash occurred, expressed in 24-hour format (00:00 - 23:59). Time expressed as 00:00 is considered to be missing data, not midnight. The values 9998 and 9999 indicate invalid and left blank, respectively.

6. Hour

Database Field = Hour

Source = Derived from MilitaryTime, crash-level variable

Type = Numeric [Convert to text with SAS format HOURS.] Length = 3

This field indicates the hour in which the crash occurred. It is derived from MilitaryTime. For example, crashes during the hour of 1 a.m. are crashes from 1 a.m. to 1:59 a.m. Use this variable instead of MilitaryTime to analyze crashes by hour of the day. If MilitaryTime is 00:00, the value of Hour is 99, to indicate missing data. If MilitaryTime is in the range of 00:01 to 00:59, the value of Hour is 0.

Variable Options

0 = 12 a.m.	13 = 1 p.m.
1 = 1 a.m.	14 = 2 p.m.
2 = 2 a.m.	15 = 3 p.m.
3 = 3 a.m.	16 = 4 p.m.
4 = 4 a.m.	17 = 5 p.m.
5 = 5 a.m.	18 = 6 p.m.
6 = 6 a.m.	19 = 7 p.m.
7 = 7 a.m.	20 = 8 p.m.
8 = 8 a.m.	21 = 9 p.m.
9 = 9 a.m.	22 = 10 p.m.
10 = 10 a.m.	23 = 11 p.m.
11 = 11 a.m.	98 = Invalid Code
12 = 12 p.m.	99 = Left Blank
•	. = Missing Data
	· ·

7. Day of Week

Database Field = Day

Source = UCR form, crash-level variable

Type = Numeric [Convert to text with SAS format DAYW.] Length = 3

This field indicates the day of the week on which the crash occurred. It is derived from the CrashDate field.

Variable Options

1 = Sunday	5 = Thursday
2 = Monday	6 = Friday
3 = Tuesday	7 = Saturday
4 337 1 1	

4 = Wednesday



Law Enforcement Agency

Database Field = Agency

Source = UCR form, crash-level variable

Type = Numeric [Convert to text with SAS format AGENCY.] Length = 4

This field indicates the law enforcement agency (LEA) that submitted the crash report to NMDOT. Codes are used to differentiate agencies by agency type and specific agency name. The agency code corresponds to the specific agency name, listed in the Reporting Agency field on the UCR form.

Agency Types

1 = Albuquerque

2-491= City and pueblo police agencies (Often matching older data codes whenever available.)

500s = University police

800 = NM DPS Motor Transportation Police

800s = Miscellaneous statewide or national police

1000-1033 = County sheriffs

1500s = County regional emergency communication centers or 911 or regional dispatch centers

2000-2012 = New Medico State Police (2000) and NMSP Districts 1-12

9995-9999 = Invalid or missing data

Variable Options

MUNICIPALITIES

1 = Albuquerque Police Department

4 = Station Report

10 = Alamogordo Police Department

11 = Albuquerque Airport Police Department

(obsolete, use agency code 12)

12 = Albuquerque Aviation Police Department

13 = Albuquerque Fire Rescue

14 = Albuquerque Public Schools Police

Department

16 = Anthony Police Department

17 = Angel Fire Police Department

20 = Artesia Police Department

25 = Aztec Police Department

30 = Bayard Police Department

35 = Belen Police Department

40 = Bernalillo Police Department

45 = Bloomfield Police Department

46 = Bosque Farms Police Department

50 = Capitan Police Department

55 = Carlsbad Police Department

60 = Carrizozo Police Department

63 = Causey Police Department (obsolete)

65 = Santa Clara Police Department

(formerly Central)

67 = Chama Police Department (obsolete)

70 = Cimarron Police Department

75 = Clayton Police Department

80 = Cloudcroft Police Department

85 = Clovis Police Department

90 = Columbus Police Department

95 = Corona Police Department (obsolete)

97 = Corrales Police Department

98 = Cuba Police Department

100 = Deming Police Department

105 = Des Moines (obsolete)

110 = Dexter Police Department

111 = Dora Police Department (obsolete)

112 = Eagle Nest

113 = Elida Police Department

114 = Edgewood Police Department

115 = Encino Police Department (obsolete)

116 = Elephant Butte Police Department

120 = Española Police Department

125 = Estancia Police Department

130 = Eunice Police Department

135 = Farmington Police Department

138 = Floyd Police Department (obsolete)

140 = Folsom Police Department (obsolete)



150 = Gallup Police Department

155 = Grady Police Department

160 = Grants Police Department

165 = Grenville Police Department (obsolete)

170 = Hagerman DPS

175 = Hatch Police Department

180 = Hobbs Police Department

185 = Hope Police Department

187 = House Police Department (obsolete)

190 = Hurley Police Department

200 = Jal Police Department

209 = Jemez Springs Marshal's Office (obsolete, use agency code 210)

210 = Jemez Springs Police Department

214 = Lake Arthur Marshal's Office (obsolete, use agency code 215)

215 = Lake Arthur Police Department

217 = La Mesilla (obsolete)

218 = Lamy Police Department (obsolete)

220 = Las Cruces Police Department

225 = Las Vegas Police Department

232 = Logan Police Department

235 = Lordsburg Police Department

240 = Los Alamos Police Department

245 = Los Lunas Police Department

247 = Los Ranchos DPS

250 = Loving Police Department

255 = Lovington Police Department

259 = Magdalena Marshal's Office

260 = Magdalena Police Department (obsolete, use agency code 259)

265 = Maxwell Police Department

270 = Melrose Police Department

275 = Mesilla Marshal's Department

280 = Milan Police Department

283 = Mora Police Department (obsolete)

285 = Moriarty Police Department

289 = Mosquero Marshal's Office (obsolete)

290 = Mosquero Police Department (obsolete)

295 = Mountainair Police Department

305 = Pecos Police Department

307 = Peralta Police Department

308 = Placitas Police Department

310 = Portales Police Department

315 = Questa Police Department

325 = Raton Police Department

327 = Red River Marshal's Office

328 = Reserve Police Department (obsolete)

329 = Rio Rancho Police Department

330 = Roswell Police Department

331 = Rio Rancho Department of Public Safety (obsolete, use agency code 329)

335 = Roy Police Department (obsolete)

340 = Ruidoso Police Department

345 = Ruidoso Downs Police Department

355 = San Jon Police Department (obsolete)

356 = San Ysidro Marshal's Department

360 = Santa Fe Police Department

362 = Santa Fe Radio Communications Center

370 = Santa Rosa Police Department

380 = Silver City Police Department

385 = Socorro Police Department

395 = Springer Police Department

398 = Sumner Lake Police Department

400 = Sunland Park Police Department

405 = Taos Police Department

408 = Taos Ski Valley Department of Public Safety

410 = Tatum Police Department

415 = Texico Police Department

416 = Tijeras Police Department (obsolete)

420 = Truth or Consequences Police Department (TCPD)

425 = Tucumcari Police Department

430 = Tularosa Police Department

435 = Vaughn Police Department

440 = Virden Police Department (obsolete)

444 = Wagon Mound Marshal's Office

445 = Wagon Mound Police Department

(obsolete, use agency code 444)

450 = Willard Police Department (obsolete)

452 = Williamsburg Police Department

9996 = Other City Police (agency name unknown due to city name not specified, pre-2012 data only)

Continued on next page.



TRIBAL & BIA POLICE

375 = Navajo	Nation 1	Police	D2-	Shiproo	٤k
--------------	----------	--------	-----	---------	----

455 = Acoma Pueblo Police Department

456 = Alamo Navajo Police Department

457 = To'Hajiilee (Cañoncito) Police

458 = Cochiti Pueblo Police Department

459 = Isleta Pueblo Police Department

460 = Jemez Pueblo Police Department

461 = Jicarilla Apache Tribal Police Department

462 = Laguna Pueblo Police Department

463 = Mescalero Apache Police Department

464 = Nambe Pueblo Police Department

465 = Navajo Nation Police Department

466 = Picuris Pueblo Police Department

467 = Pojoaque Tribal Police Department

468 = Ramah Tribal Police Department

469 = Sandia Pueblo Tribal Police Department

470 = San Felipe Pueblo Police Department

471 = San Ildefonso Pueblo Police Department

472 = San Juan Pueblo Police (Ohkay Owingeh)

473 = Santa Ana Pueblo Police Department

474 = Santa Clara Pueblo Police Department

475 = Santo Domingo Pueblo Police Department

476 = Taos Pueblo Police Department

477 = Tesuque Tribal Police Department

478 = Zia Pueblo Police Department

479 = Zuni Tribal Police Department

480 = Bureau of Indian Affairs Northern Pueblos

481 = Bureau of Indian Affairs Southern Pueblos Agency

485 = Navajo Division of Public Safety

486 = Navajo Nation Police D1 – Window Rock

487 = Navajo Nation Police D3 – Crownpoint

488 = Navajo Nation Police D4 – Tuba City

489 = Navajo Nation Police D5 – Chinle

490 = Navajo Nation Police D6 – Kayenta

491 = Navajo Nation Police D7 – Dilkon

9997 = Tribal Police (agency name unknown, pre-2012 data only)

UNIVERSITY POLICE

504 = Eastern New Mexico University Police Department – ENMU Portales

505 = Eastern New Mexico University Police Department – ENMU Roswell

506 = Eastern New Mexico University Police Department – ENMU Ruidoso

510 = New Mexico Highlands University Police (NMHU)

515 = New Mexico Tech Campus Police (NMT)

520 = New Mexico Military Institute Police (NMMI)

525 = New Mexico State University Police Department (NMSU)

530 = University of New Mexico Police Department (UNM)

535 = UNM Gallup Police Department (UNM-G)

550 = Western New Mexico University Police (WNMU)

9995 = Campus Police (agency name unknown, occurs in pre-2012 data only)

MISCELLANEOUS AGENCIES

800 = NM DPS Motor Transportation Police (See agency 2000 for crashes from NMSP)

810 = National Park Police

815 = BNSF Railroad Police Department

820 = HAFB / Holloman Air Force Base

825 = KAFB / Kirtland Air Force Base

826 = Lea County Airport Police Department

830 = Sandia National Labs Security

835 = Sandia Park Police Department

840 = U.S. Air Force OSI

(Office of Special Investigations)

845 = U.S. federal law enforcement agency (not otherwise classified)

850 = Veterans Hospital Police Department

855 = Western UNM Academy Security (obsolete)

860 = White Sands Missile Range Police (WSMR)

870 = Cochran County Sheriff's Office – Texas

875 = Muleshoe Police Department - Texas

880 = Union Pacific Railway Police

885 = NM Transportation Services Division Motor Pool (Rarely submits crash reports and often confused with agency code 800.)



COUNTY SHERIFFS

1001 = Bernalillo County Sheriff's Department 1018 = McKinley County Sheriff's Office 1002 = Catron County Sheriff's Department 1019 = Mora County Sheriff's Department 1003 = Chaves County Sheriff's Office 1020 = Otero County Sheriff's Department 1004 = Cibola County Sheriff's Office 1021 = Quay County Sheriff's Office 1005 = Colfax County Sheriff's Department 1022 = Rio Arriba County Sheriff's Office 1006 = Curry County Sheriff's Office 1023 = Roosevelt County Sheriff's Office 1007 = De Baca County Sheriff's Office 1024 = Sandoval County Sheriff's Office 1008 = Doña Ana County Sheriff's Office 1025 = San Juan County Sheriff's Office 1009 = Eddy County Sheriff's Department 1026 = San Miguel County Sheriff's Office 1010 = Grant County Sheriff's Office 1027 = Santa Fe County Sheriff's Office 1011 = Guadalupe County Sheriff's Department 1028 = Sierra County Sheriff's Department 1012 = Harding County Sheriff's Office 1029 = Socorro County Sheriff's Office 1013 = Hidalgo County Sheriff's Office 1030 = Taos County Sheriff's Office 1014 = Lea County Sheriff's Department 1031 = Torrance County Sheriff's Department 1015 = Lincoln County Sheriff's Office 1032 = Union County Sheriff's Office 1017 = Luna County Sheriff's Department 1033 = Valencia County Sheriff's Department

DISPATCH CENTERS

Note: Dispatch centers do not create crash reports. Crash database records referencing agency 1501 through 1534 are usually data entry errors.

1501 = Bernalillo County Regional Emergency Communications Center

1507 = De Baca County Regional Emergency Communications Center

1522 = Española / Rio Arriba 911 Dispatch

1524 = Sandoval County Regional Emergency Communications Center

1527 = Santa Fe Regional Emergency Communications Center

1528 = Sierra County Regional Dispatch

1531 = Torrance County 911 Dispatch Center

1533 = Valencia Regional Emergency Communications Center

1534 = Pecos Valley Regional Emergency Communications Center

STATE POLICE

2000 = New Mexico State Police (NMSP)2007 = New Mexico State Police District 72001 = New Mexico State Police District 12008 = New Mexico State Police District 82002 = New Mexico State Police District 22009 = New Mexico State Police District 92003 = New Mexico State Police District 32010 = New Mexico State Police District 102004 = New Mexico State Police District 42011 = New Mexico State Police District 112005 = New Mexico State Police District 52012 = New Mexico State Police District 122006 = New Mexico State Police District 62013 = New Mexico State Police District 13(District 13 is obsolete)

MISSING DATA

9998 = Invalid code

9999 = Left blank

. = Left blank (obsolete)

0 = Left blank (obsolete)



Crash location coding notes

Geocoding

Field names that begin with "GIS" indicate data that were derived through geocoding, using a geographic information system. Geocoding uses descriptive locational information to assign unique geographic coordinates for each crash. The descriptive crash location data are taken from the Uniform Crash Reports. Starting in 2012, about 95 percent of crashes have enough locational information on the UCR form to allow the crashes to be geocoded and mapped. For crashes before 2012, about 85 percent can be geocoded. Crashes that could not be geocoded usually had either incomplete or invalid locational data reported on the UCR. An example of a crash location that cannot be mapped is a crash reported at the intersection of "First Street" and "a driveway", or "US 64" without a milepost. All crashes with intersection and address crash descriptions are geocoded using the E911 Roadway basemap shapefile provided by the New Mexico Department of Finance and Administration.

To improve the accuracy of the County and City fields used for analysis, the geocoded value is used whenever possible (GIS_County, GIS_CityUSCensus), instead of the county or city originally entered on the UCR form (CountyOrig, CityOrig).

AStreet, BStreet, Landmark, and Milepost

The primary location fields on the UCR form are the name of the road that the crash occurred on (AStreet), the name of the intersecting street (BStreet), and the name of a permanent landmark, intersection or milepost (if not at an intersection). Landmark is available as a new database variable starting in 2012. There are also fields to specify the distance and direction from the intersection, landmark, or milepost. These location fields are the basis of almost all mapped location data in the NMDOT crash database. For most crashes, the original location data used for geocoding are found in the fields CountyOrig, CityOrig, AStreet, and Bstreet or Landmark.

There are numerous problems with AStreet and BStreet. Misspellings abound. Any given street may be described many different ways. For example, US 285 (in Roswell) is often reported as Main Street. Some streets change names, so synonyms need to be taken into account at certain intersections such as Copper at Carlisle (in Albuquerque), which is also Campus at Carlisle. Streets may also change names over time. So synonyms are needed for those cases also. Physical features, business names, park names, expressions such as "canal," ditch," "dirt road" and other unclear descriptions also show up in the data.

It can be difficult to accurately locate crashes, because officers' descriptions in the fields AStreet, BStreet and Landmark are often imprecise. There are a wide variety of ways officers describe street names. For example, crashes involving frontage roads and Interstate ramps are especially problematic to geocode. Crashes on ramps or frontage roadways parallel to an Interstate are sometimes described using the Interstate name and can be difficult to distinguish from crashes occurring on the Interstate. In addition, crashes described as "I-25 Milepost 228 Ramp" or "I-25 and Frontage" are difficult to geocode because there are often four ramps and two frontage roads (one on each side of the Interstate).



9. County

Database Field = County

Source = Derived, crash-level variable

Type = Numeric [Convert to text with SAS format COUNTY.] Length = 8

This field indicates the county in which the crash physically happened. It is the county derived through geocoding (GIS_County), or if the crash cannot be geocoded, the name of the county specified on the UCR form (CountyOrig). Use this field, County, to analyze crashes by county because it is the most complete and accurate.

Some cities, such as Española, straddle county borders and crashes in that city may be geocoded in either county. Crashes reported on the UCR with the wrong county may be geocoded based on locational information in another county. Geocoding may determine that the county in which the crash occurred was reported incorrectly on the UCR form.

Variable Options

13 = Hidalgo County	25 = San Juan County
14 = Lea County	26 = San Miguel County
15 = Lincoln County	27 = Santa Fe County
16 = Los Alamos County	28 = Sierra County
17 = Luna County	29 = Socorro County
18 = McKinley County	30 = Taos County
19 = Mora County	31 = Torrance County
20 = Otero County	32 = Union County
21 = Quay County	33 = Valencia County
22 = Rio Arriba County	98 = Invalid code
23 = Roosevelt County	99 = Left blank
24 = Sandoval County	
	14 = Lea County 15 = Lincoln County 16 = Los Alamos County 17 = Luna County 18 = McKinley County 19 = Mora County 20 = Otero County 21 = Quay County 22 = Rio Arriba County 23 = Roosevelt County

10. GIS County

Database Field = GIS County

Source = Derived by GIS, crash-level variable

Type = Character Length = 22

This field indicates the county identified during geocoding. This field has a value only if the crash is geocoded. Use the field County for analysis since it also contains counties for the non-geocoded crashes. GIS county boundaries are defined using the U.S. Census Bureau TIGER/Line Shapefile, 2010. This field became available starting in 2012.

11. Original County

Database Field = CountyOrig

Source = UCR form, crash-level variable

Type = Character Length = 10

This field indicates the county as entered originally on the UCR form. This field became available starting in 2012.



12. City

Database Field = City

Source = Derived, crash-level variable

Type = Numeric [Convert to text with SAS format CITY.] Length = 8

This field indicates the city or place (political jurisdiction or U.S. Census-designated place) in which the crash occurred, based on a U.S. Census Bureau list of cities, towns and tribal communities for all of New Mexico. This field indicates whether the area in which the crash occurred is within the city limits of a particular town or city. The field City is derived through geocoding (GIS_CityUSCensus), or if the crash cannot be geocoded, then City is the city specified on the UCR form (CityOrig).

- ✓ New city codes are in effect. For example, the Albuquerque city code was code 15 and is now code 30. For datasets released before November 2015 that contain a numeric city code, use the city code definitions available in the archived crash-level documentation.
- ✓ Use this variable to analyze crashes by city. It is the most complete and accurate of all the city variables.
- ✓ Before 2012, the City field contains only municipalities and cities with populations above 2,500.
- ✓ A handful of city names are changed during data cleaning. For example, crashes in Los Ranchos de Albuquerque are categorized as occurring in Albuquerque. To find out how they are categorized, see their entry in the list below.
- ✓ New Mexico has a handful of pairs of places with the same name. The smaller of the two is identified by having the county name in parentheses.
- ✓ Some places have underreported crashes because their law enforcement agencies are not very diligent about sending in crash report forms to NMDOT. Some reservation police do not report. Crashes on reservations are identified in the GIS_NatAmer_USCensus variable.

Variable Options (in alphabetical order)

0 17 (17)	20 411	25 4 611
0 = None (Not in city)	30 = Albuquerque	37 = Anton Chico
99 = None (obsolete code)	31 = Alcalde	25 = Anzac Village
1 = Abeytas	29 = Algodones	38 = Apache Creek
3 = Abiquiu	26 = Allison	41 = Aragon
6 = Abiquiu Lake	28 = Alto	49 = Arboles
2 = Abo	32 = Amalia	43 = Arenas Valley
4 = Acoma	35 = Ambrosia Lake	40 = Armijo
5 = Acomita	36 = Amistad	45 = Arrey
8 = Acomita Lake	27 = Anapra	44 = Arroyo del Pueblo
Categorized as Acomita.	39 = Ancho	47 = Arroyo Hondo
9 = Adelino	21 = Angel Fire	46 = Arroyo Seco
7 = Agua Fria	33 = Animas	50 = Artesia
Categorized as Santa Fe.	42 = Antelope Wells	55 = Atoka
10 = Alameda	34 = Anthony	60 = Atrisco
16 = Alamillo	48 = Anthony Town	70 = Aztec
22 = Alamo Navajo 20 = Alamogordo	Categorized as Anthony.	75 = Bard



90 = Bayard	139 = Casa Colorada	215 = Crownpoint
96 = Beclabito	142 = Causey	222 = Cruzville
100 = Belen	143 = Cebolla	214 = Crystal
103 = Bellview	148 = Cedar Crest	223 = Cuartelez
104 = Bent	145 = Cedar Grove	216 = Cuba
108 = Berino	146 = Cedar Hill	217 = Cubero
110 = Bernalillo	144 = Cedarvale	218 = Cuchillo
97 = Bibo	149 = Cedro	221 = Cuervo
109 = Bingham	151 = Cerrillos	224 = Cundiyo
102 = Black Rock	152 = Cerro	226 = Cuyamungue
Categorized as Zuni Pueblo	153 = Chacon	225 = Cuyamungue Grant
114 = Blanco	155 = Chama	Categorized as Cuyamungue
115 = Bloomfield	157 = Chamberino	219 = Datil
116 = Bluewater Village	156 = Chamisal	230 = Deming
133 = Boles Acres	162 = Chamita	235 = Derry
Categorized as Alamogordo.	163 = Chamizal	240 = Des Moines
113 = Bosque	154 = Chaparral	250 = Dexter
101 = Bosque Farms	164 = Chical	251 = Dixon
94 = Brazito	165 = Chili	237 = Dog Canyon
107 = Brazos	161 = Chilili	239 = Domingo
117 = Brimhall Nizhoni	158 = Chimayo	253 = Doña Ana
111 = Broadview	-	Categorized as Las Cruces
105 = Buckeye	166 = Chupadero 159 = Church Rock	249 = Doña Ana Range Camp
106 = Buckhorn		252 = Dora
95 = Budville	160 = Cimarron	255 = Dulce
124 = Buena Vista	897 = City of the Sun	256 = Duran
112 = Bueyeros	171 = Claunch	254 = Dusty
122 = Caballo	170 = Clayton	257 = Eagle Nest
131 = Cañada de los Alamos	173 = Cleveland	259 = East Pecos
118 = Canjilon	175 = Cliff	261 = Edgewood
129 = Cannon	177 = Clines Corners	278 = Edith Endave
121 = Cannon AFB	180 = Cloudcroft	Categorized as Albuquerque.
Categorized as Clovis.	190 = Clovis	279 = El Cerro
132 = Cañon	193 = Cobre	263 = El Cerro Mission
128 = Canon Plaza	195 = Cochiti	264 = El Duende
119 = Cañoncito	196 = Cochiti Lake	265 = El Paso
126 = Cañones	200 = Columbus	268 = El Prado
134 = Canova	203 = Conchas Dam	271 = El Rancho
135 = Canutillo	205 = Continental Divide	266 = El Rito
120 = Capitan	207 = Cordova	267 = El Vado
123 = Caprock	210 = Corona	276 = El Valle de Arroyo Seco
125 = Capilock 125 = Capulin	208 = Corrales	277 = Eldorado at Santa Fe
130 = Carlsbad	211 = Costilla	258 = Elephant Butte
	206 = Cotton City	Categorized as Truth or Consequences
136 = Carnuel Categorized as Albuquerque.	212 = Counselor	260 = Elida
140 = Carrizozo	220 = Cowles	262 = Elkins
140 = Carrizozo 141 = Carson	213 = Coyote	272 = Embudo
127 = Carson 127 = Casa Blanca	209 = Crossroads	269 = Encinal
127 — Casa Dianea		20) – Diloinai



270 = Encino	380 = Grenville	462 = La Luz
274 = Ensenada	381 = Guadalupita	464 = La Madera
273 = Escabosa	389 = Hachita	465 = La Mesa
275 = Escondida	390 = Hagerman	471 = La Mesilla
281 = Escudilla Bonita	395 = Hanover	466 = La Plata
280 = Española	397 = Happy Valley	476 = La Puebla
290 = Estancia	Categorized as Carlsbad.	469 = La Puente
300 = Eunice	400 = Hatch	492 = La Union
303 = Fairacres	405 = Hayden	477 = La Villita
Categorized as Las Cruces.	406 = Hernandez	457 = Laguna
305 = Farley	408 = High Rolls Mt Park	460 = Lake Arthur
310 = Farmington	407 = Highland Meadows	478 = Lake Roberts
311 = Faywood	409 = Hillsboro	479 = Lake Roberts Heights
312 = Fence Lake	410 = Hobbs	Categorized as Lake Roberts
313 = Fierro	415 = Holloman AFB	487 = Lake Sumner
319 = Flora Vista	Categorized as Alamogordo	481 = Lake Valley
Categorized as Farmington.	418 = Holman	459 = Lakewood
318 = Floyd	416 = Homestead	468 = Lamy
317 = Flying H	417 = Hondo	470 = Las Cruces
320 = Folsom	420 = Hope	472 = Las Maravillas
321 = Forrest	422 = Horse Springs	473 = Las Nutrias
322 = Fort Bayard	424 = Hot Springs Landing	474 = Las Palomas
324 = Fort Defiance	Categorized as Truth or Consequences	475 = Las Tablas
325 = Fort Stanton	421 = House	480 = Las Vegas
330 = Fort Sumner	423 = Humble City	491 = Ledoux
332 = Fort Wingate	430 = Hurley	486 = Lee Acres
335 = Fruitland	433 = Indian Hills	Categorized as Farmington
336 = Gabaldon	435 = Isleta Pueblo	493 = Lemitar
345 = Galisteo	437 = Jacona	488 = Leyba
339 = Gallina	438 = Jaconita	495 = Lincoln
347 = Gallinas	440 = Jal	489 = Lindrith
340 = Gallup	450 = Jarales	494 = Lingo
346 = Gamerco	452 = Jemez Pueblo	502 = Livingston Wheeler
342 = Garfield	451 = Jemez Springs	Categorized as Carlsbad
337 = Garita	442 = Jicarilla Apache	501 = Llano
341 = Gila	447 = Keeler Farm	503 = Llano del Medio
353 = Gila Hot Springs	453 = Kenna	504 = Llano Quemado
348 = Gladstone	454 = Kingston	498 = Llaves
352 = Glen Acres	456 = Kirtland	497 = Loco Hills
338 = Glencoe	455 = Kirtland AFB	499 = Logan
349 = Glenrio	467 = La Cienega	500 = Lordsburg
343 = Glenwood	448 = La Cueva	510 = Los Alamos
351 = Glorieta	449 = La Hacienda	515 = Los Cerrillos
344 = Golden	446 = La Huerta	520 = Los Chaves
354 = Gonzales Ranch	Categorized as Carlsbad	522 = Los Colonias
350 = Grady	458 = La Jara	525 = Los Luceros
360 = Grants	461 = La Joya	530 = Los Lunas
365 = Greenfield	463 = La Loma	534 = Los Ojos



536 = Los Padillas	589 = Monticello	628 = Paguate
537 = Los Ranchos de Albuquerque	603 = Montoya	924 = Pajarito Mesa
Categorized as Albuquerque	602 = Monument	925 = Paradise Hills
540 = Loving	574 = Moquino	Categorized as Albuquerque
550 = Lovington	604 = Mora	683 = Paraje
549 = Lower Frisco	605 = Moriarty	629 = Park View
548 = Luis Lopez	917 = Morningside	684 = Pastura
552 = Lumberton	600 = Mosquero	685 = Peak Place
551 = Luna	606 = Mount Dora	926 = Pecan Park
554 = Lupton	582 = Mountain View	630 = Pecos
556 = Lyden	610 = Mountainair	633 = Peña Blanca
561 = Madrid	609 = Mule Creek	634 = Peñasco
563 = Madrone	571 = Nadine	651 = Pep
560 = Magdalena	613 = Nageezi	635 = Peralta
565 = Malaga	572 = Nakaibito	647 = Petaca
567 = Maljamar		652 = Picacho
566 = Manuelito	611 = Nambe Pueblo	637 = Picuris Pueblo
568 = Manzano	918 = Napi Headquarters	636 = Pie Town
562 = Manzano Springs	614 = Nara Visa	631 = Pilar
570 = Maxwell	617 = Naschitti	638 = Pinedale
	612 = Navajo	671 = Pinehill
575 = Mayhill	615 = Navajo Dam	671 = Pineiiii 653 = Piñon
555 = McAlister	573 = Nenahnezad	
558 = McCartys Village	607 = New Laguna	621 = Pinos Altos
553 = McDonald	626 = Newcomb	641 = Placita
557 = McGaffey	616 = Newkirk	632 = Placitas
559 = McIntosh	619 = Nogal	724 = Placitas (Doña Ana)
576 = Meadow Lake	919 = North Acomita Village	665 = Playas
577 = Medanales	Categorized as Acomita	715 = Pleasanton
580 = Melrose	920 = North Hobbs	639 = Pojoaque
583 = Mentmore	Categorized as Hobbs	654 = Polvadera
585 = Mescalero Apache	921 = North Hurley	648 = Ponderosa
590 = Mesilla	Categorized as Hurley	713 = Ponderosa Pine
Categorized as Las Cruces	922 = North Light Plant	640 = Portales
592 = Mesilla Park	886 = North San Ysidro	642 = Prewitt
594 = Mesita	(San Miguel)	927 = Pueblito
596 = Mesquite	923 = North Valley	726 = Pueblitos
597 = Mexican Springs	Categorized as Albuquerque	928 = Pueblo
584 = Miami	578 = Oasis	697 = Pueblo of Sandia
581 = Middle Frisco	608 = Ocate	727 = Pueblo of Sandia Village
593 = Midway	620 = Ohkay Owingeh	705 = Pueblo Pintado
598 = Milan	622 = Oil Center	643 = Puerto de Luna
586 = Mills	579 = Ojo Amarillo	883 = Pulpotio Bareas
587 = Milnesand	623 = Ojo Caliente	673 = Punta de Agua
599 = Mimbres	618 = Ojo Feliz	675 = 1 unta de Agua $655 = Quay$
588 = Mogollon	661 = Ojo Sarco	- •
595 = Monero	624 = Organ	644 = Quemado
591 = Monterey Park	625 = Orogrande	645 = Questa
601 = Montezuma	627 = Otis	649 = Radium Springs
OO1 - MOMERANIA		



656 = Rainsville	689 = San Cristobal	721 = Serafina
646 = Ramah	711 = San Felipe Pueblo	744 = Shady Brook
728 = Ranchito	702 = San Fidel	764 = Sheep Springs
929 = Rancho Grande	722 = San Francisco Plaza	745 = Shiprock
650 = Ranchos de Taos	712 = San Ildefonso Pueblo	750 = Silver City
Categorized as Taos	712 = San Inderonso I debio 700 = San Jon	754 = Skyline-Ganipa
660 = Raton	717 = San Jose	760 = Socorro
731 = Red Hill		765 = Soham
664 = Red River	757 = San Jose (San Miguel)	765 = Solano
674 = Redrock	703 = San Juan Pueblo (Obsolete, use code 620 - Ohkay Owingeh)	767 = Sombrillo
672 = Regina	723 = San Lorenzo	
668 = Rehoboth	758 = San Luis	761 = South Acomita Village
657 = Rencona	718 = San Mateo	Categorized as Acomita 762 = South Valley
662 = Reserve	719 = San Miguel	Categorized as Albuquerque
658 = Ribera	719 – San Miguel 729 = San Pablo	768 = Spencer Valley
	Categorized as Las Cruces	769 = Spencerville
663 = Rincon	716 = San Patricio	Categorized as Aztec
676 = Rinconado	759 = San Pedro	770 = Springer
732 = Rio Communities	704 = San Rafael	773 = Standing Rock
733 = Rio en Medio	704 = San Karaer 742 = San Ysidro	774 = Stanley
734 = Rio Lucio		776 = Stead
677 = Rio Rancho	738 = San Ysidro (Doña Ana) Categorized as Las Cruces	775 = Sunland Park
930 = Rivers	701 = Sandia Base Mil Resv	771 = Sunshine
679 = Riverside	739 = Sandia Heights	771 = Sunsmite 772 = Sunspot
736 = Road Forks	Categorized as Albuquerque	772 = Sunspot 778 = Taiban
659 = Rociada	686 = Sandia Knolls	
737 = Rock Springs	696 = Sandia Park	779 = Tajique
666 = Rodarte	714 = Sanostee	781 = Talpa Categorized as Taos
667 = Rodeo	706 = Santa Ana Pueblo	780 = Taos
931 = Rodey	150 = Santa Clara (Central)	777 = Taos Pueblo
675 = Rogers	Obsolete, use code 708	783 = Taos Ski Valley
682 = Romero	708 = Santa Clara (Central)	780 = 1808 SKI Valley 790 = Tatum
687 = Rosedale	707 = Santa Clara Pueblo	789 = Tecolote
670 = Roswell	709 = Santa Cruz	
678 = Rowe	710 = Santa Fe	791 = Tecolotito
680 = Roy	720 = Santa Rita	788 = Teec Nos Pos
690 = Ruidoso	730 = Santa Rosa	792 = Tererro
691 = Ruidoso Downs	735 = Santa Rosa 735 = Santa Teresa	795 = Tesuque
692 = Rutheron	733 – Santa Telesa 740 = Santo Domingo Pueblo	796 = Tesuque Pueblo
681 = Sabinoso	_	800 = Texico
695 = Sacramento	694 = Sapello	804 = Thoreau
693 = Saint Vrain	741 = Sausal	808 = Three Rivers
669 = Salem	725 = Scholle	805 = Tierra Amarilla
699 = San Acacia	743 = Seama	806 = Tijeras
698 = San Antonio	747 = Seboyeta	802 = Timberon
Categorized as San Antonito	748 = Sedan	803 = Tinnie
(Socorro)	763 = Sedillo	811 = Toadlena
755 = San Antonito	749 = Sena	884 = Tohajiilee
756 = San Antonito (Socorro)	746 = Seneca	807 = Tohatchi
, ,		



792 — Tolon	924 — Uman Emitland	969 - Watness
782 = Tolar	834 = Upper Fruitland	868 = Watrous
813 = Tome	833 = Ute Park	864 = Weed
821 = Torreon	838 = Vadito	866 = West Hammond
822 = Torreon (Torrance)	837 = Vado	874 = White Rock
814 = Trampas	841 = Valdez	871 = White Sands Msl Rge
815 = Trementina	832 = Valencia	863 = White Signal
809 = Tres Piedras	836 = Vallecitos	869 = Whites City
819 = Tres Ritos	839 = Valmora	870 = Willard
799 = Trout Valley	843 = Van Wagen	872 = Williamsburg
812 = Truchas	848 = Vanadium	Categorized as Truth or Consequences
816 = Trujillo	842 = Vanderwagen	881 = Windmill
810 = Truth or Consequences (T or C)	840 = Vaughn	882 = Window Rock
823 = Tse Bonito	846 = Veguita	873 = Winston
820 = Tucumcari	845 = Velarde	875 = Yah-ta-hey
830 = Tularosa	844 = Ventura	876 = Yeso
817 = Turnerville	847 = Vermejo Park	885 = Young Place
824 = Twin Forks	849 = Villanueva	877 = Youngsville
825 = Twin Lakes	850 = Virden	879 = Zia Pueblo
818 = Tyrone	860 = Wagon Mound	880 = Zuni Pueblo
835 = University Park	865 = Walker AFB	
Categorized as Las Cruces	867 = Waterflow	

13. GIS City

Database Field = GIS_CityUSCensus

Source = Derived by GIS, crash-level variable

Type = Character Length = 25

This field indicates the city or place name in which the crash occurred, as identified after geocoding the crash location, using boundaries described by the U.S. Census Bureau TIGER/Line Shapefile, 2010. This field is derived from geocoding and may not reflect what the officer indicated in the city field on the UCR form, which can be found in the field CityOrig. The field GIS_CityUSCensus provides the city name for crashes that were geocoded, and will be blank for any crashes that could not be geocoded. Therefore, when analyzing crashes by city, use the field City instead of GIS_CityUSCensus. The GIS_CityUSCensus field became available starting in 2012.

14. Original City

Database Field = CityOrig

Source = UCR form, crash-level variable

Type = Character Length = 25

This field indicates the city as originally entered on the UCR form. This field became available starting in 2012.



15. Primary Street (Occurred On)

Database Field = AStreet

Source = UCR form, crash-level variable

Type = Character

Length = 65

This field indicates the primary street or other trafficway on which the crash occurred. This field contains the given name, type of street and may or may not be paired with a precise street numerical address. Common road abbreviations include CR (county road), FR (forest road), IR (Indian route) and SR (state route). See <u>Crash location</u> coding for details.

16. GIS Primary Street

Database Field = GIS_AStreet

Source = Derived by GIS, crash-level variable

Type = Character

Length = 65

This field indicates the primary street or other trafficway on which the crash occurred. It is a cleaner, more standardized version of AStreet optimized for geocoding. Generally the fields AStreet and GIS_AStreet are similar, but AStreet may have more original detailed locational information. This field became available starting in 2012.

17. Nearest Intersecting Street

Database Field = BStreet

Source = UCR form, crash-level variable

Type = Character

Length = 60

This field indicates the name of the intersecting street nearest to the crash location, according to the investigating officer. If a crash happens in an intersection, Bstreet contains the intersecting street name. Common road abbreviations include CR (county road), FR (forest road), IR (Indian route) and SR (state route). In rural areas, the nearest intersecting street identified on the UCR form may be miles away from the crash location, so the Direction from Landmark and Distance from Landmark variables can help clarify the actual crash location. BStreet may be blank if the crash did not occur at an intersection. See *Crash location coding* for details.

18. GIS Nearest Intersecting Street

Database Field = GIS_BStreet

Source = Derived by GIS, crash-level variable

Type = Character

Length = 60

This field indicates the intersecting street nearest to the crash location. This field is a cleaner, more standardized version of BStreet optimized for geocoding. Generally BStreet and GIS_BStreet are similar, but BStreet may have more original detailed locational information. This field became available starting in 2012.



19. Landmark

Database Field = Landmark

Source = UCR form, crash-level variable

Type = Character Length = 90

This field indicates any permanent landmark, highway milepost, county line, or intersection used to describe the location of the crash, as reported by the investigating officer. See <u>Crash location coding</u> for details. This field became available starting in 2012.

20. Direction from Landmark

 $Database\ Field = DirectionFromLandmark$

Source = UCR form, crash-level variable

Type = Character [Convert to text using SAS format DIREC.] Length = 2

This field indicates the direction from the nearest intersection or landmark to the crash. This field is left blank about 65 percent of the time, since its relevance depends on the crash location. This field became available starting in 2012. It is similar to the former field IDirec (Direction From Intersection).

Variable Options

E = East S = South 98 = Invalid code N = North SE = Southeast 99 = Left blank

NE = Northeast SW = Southwest NW = Northwest W = West

21. Distance from Landmark

Database Field = Measurement

Source = UCR form, crash-level variable

Type = Character [Convert to text using SAS format \$MEAS.] Length = 10

This field indicates the distance from a permanent point to the crash location. If the distance is measured in miles, it can be measured to the nearest tenth of a mile. If the distance is measured in feet, it can be measured to the foot. Many values in this field are eyeball estimates. This field is probably most accurate for fatal crashes. There is no documented standard for measuring from the origin of an intersection to a crash location. In fact, most distances are not measured. Code 9999 indicates unknown distance. This field became available starting in 2012. It is similar to the former field Miles.

22. Distance from Landmark Measure Unit

Database Field = MeasurementUnit

Source = UCR form, crash-level variable

Type = Character [Convert to text using SAS format \$UNIT.] Length = 10

This field indicates the unit of measurement for the distance specified in the Measurement field (Distance from Landmark). This field became available starting in 2012.

Variable Options

FT = Feet 99 = Left blank

MI = Miles



23. GIS Route Name

Database Field = GIS_Route Source = Derived by GIS, crash-level variable Type = Character

Length = 7

This field indicates the primary street on which the crash occurred, if it is an Interstate, U.S. or New Mexico Highway. The field is derived from AStreet by recognizing the common ways these routes are written on the UCR form (I-25, I 25, Interstate 25, HWY 25, etc.) and creating a standardized route name (I 25).

GIS_Route and GIS_Milepost are intended to be used together and require that the UCR form specify a milepost number. These two variables are derived only for geocoded crash locations reported using a milepost number, and not for crash locations reported using the nearest intersecting street. Consequently, GIS_Route and GIS_Milepost may underrepresent the number of crashes on any given New Mexico route. A route is defined by current NMDOT-posted route legal descriptions.

24. GIS Milepost

Database Field = GIS_Milepost Source = Derived by GIS, crash-level variable Type = Numeric

Length = 8

This field indicates the numerical identification of a milepost used to describe the location of a crash on a New Mexico route or Interstate. It is extracted from AStreet, BStreet, Landmark, or MilepostOrig. The GIS_Milepost variable may underrepresent the total number of crashes along a given section of roadway, especially if the route becomes an urban street, in which case, there may be many crash locations described using the nearest intersection and not a milepost. Identification of crashes along a given section of roadway is most accurate when it includes the crashes reported by nearest intersecting street, in addition to crashes reported by milepost.

25. Original Milepost

Database Field = MilepostOrig Source = UCR form, crash-level variable Type = Character

Length = 20

This field indicates the original milepost entered on the UCR form. Often blank. GIS_Milepost contains more complete milepost data. This field became available starting in 2012.



26. Urban or Rural Designation

Database Field = UrbnRurl

Source = Derived, crash-level variable

Type = Character [Convert to text with SAS format \$UR.]

Length = 1

This field indicates whether the crash occurred in an urban or rural area. It is based on the Federal Highway Administration urban area (UZ) and urbanized area (UZA) boundaries (NMDOT-modified). The urban boundary and city boundary may not be identical. Urbanized areas may occur outside of the U.S. Census city boundary, and rural areas may occur inside a U.S. Census city boundary. This variable is derived based on the geocoded location of the crash. For crashes that cannot be geocoded, if the CityOrig variable contains a city name with a population above 2,500, then this variable will identify the crash as urban. This field became available starting in 2013.

Variable Options

R = Rural U = Urban

27. Road System

Database Field = System

Source = Derived, crash-level-variable

Type = Numeric [Convert to text with SAS format SYS.]

Length = 3

This field indicates whether the crash occurred on a roadway that is urban, rural non-Interstate, or rural Interstate.

Variable Options

- 1 = Rural non-Interstate
- 2 = Urban
- 3 = Rural Interstate

28. GIS Urban or Rural Designation

Database Field = GIS_UrbanRural

Source = Derived by GIS, crash-level variable

Type = Character Length = 5

This field indicates the urban or rural designation identified during geocoding. This field has a value only if the crash is geocoded. Use the variable UrbnRurl for analysis. This field became available starting in 2012.

Variable Options

- Rural
- Urban



29. GIS Native American Reservation

Database Field = GIS_NatAmer_USCensus Source = Derived by GIS, crash-level variable

Type = Character

Length = 30

This field indicates whether the crash occurred in a specific tribal area, such as the Navajo Nation. This field will have a value only for crashes on tribal land that are geocoded. Boundaries are defined by the U.S. Census Bureau TIGER/Line Shapefile, 2010. This field became available starting in 2012.

Variable Options

- Acoma Pueblo
- Isleta Pueblo
- Jemez Pueblo
- Jicarilla Apache Nation Reservation
- Laguna Pueblo
- Mescalero Apache Reservation
- Nambe Pueblo
- Navajo Nation
- Picuris Pueblo
- Pojoaque Pueblo
- Pueblo de Cochiti
- San Felipe Pueblo

- San Felipe/Santa Ana Joint-Use Area
- San Felipe/Santo Domingo Joint-Use Area
- San Ildefonso Pueblo
- San Juan Pueblo
- Sandia Pueblo
- Santa Ana Pueblo
- Santa Clara Pueblo
- Santo Domingo Pueblo
- Taos Pueblo
- Tesuque Pueblo
- Ute Mountain Reservation
- Zia Pueblo
- Zuni Reservation

30. Crash Direction

Database Field = CrashDirection

Source = Derived, crash-level variable

Type = Character [Convert to text using SAS format \$DIREC.]

Length = 2

This field indicates the direction of travel before the crash. It is derived from the vehicle-level fields VehDirection and StreetOn. For single-vehicle crashes, or crashes with all vehicles traveling in the same direction, the crash direction is the vehicle direction. In crashes with vehicles traveling in different directions, a probabilistic comparison between AStreet and StreetOn determines whether a vehicle can be identified as traveling on the primary street on which the crash occurred (AStreet), and assigns that vehicle's direction of travel as the crash direction. If there is no difference between AStreet and StreetOn for all vehicles in the crash, then the crash direction is based on the direction of travel of the vehicle with the highest contributing factor. For data prior to 2012, crash direction was derived solely using the direction of travel of the vehicle with the highest contributing factor, and the values SE, NE, NW and SW were not collected.

Variable Options

$$\begin{split} E &= East \\ N &= North \\ NE &= Northeast \end{split}$$

NW = Northwest

S = South

SE = Southeast SW = Southwest

W = West

98 = Invalid code 99 = Left blank



31. GIS Transportation District

Database Field = GIS_TransDist

Source = Derived by GIS, crash-level variable

Type = Numeric

Length = 3

This field indicates the state highway transportation district in which the crash occurred, as identified during geocoding. This field has a value only if the crash is geocoded. The district boundaries are defined using an NMDOT shapefile. Starting with crashes in 2012, this field is derived during geocoding. Before 2012, this field (MDC) was not derived through geocoding.

Variable Options

• 1

• 2

• 3

• 4

• 5

• (

32. GIS Maintenance District

Database Field = GIS_MaintDist

Source = Derived by GIS, crash-level variable

Type = Numeric

Length = 3

This field indicates the state highway maintenance district in which the crash occurred, as identified during geocoding. NMDOT maintenance districts are similar to the transportation districts but modified to make them more suitable for maintenance operations. This field has a value only if the crash is geocoded. The district boundaries are defined using an NMDOT shapefile. Starting with crashes in 2012, this field is derived during geocoding. Before 2012, this field (SHDTDIST) was not derived through geocoding.

Variable Options

• 1

• 2

• 3

• 4

• 5

• 6

33. GIS State Police District

Database Field = GIS_SPDist

Source = Derived by GIS, crash-level variable

Type = Numeric

Length = 3

This field indicates the New Mexico State Police district in which the crash occurred, as identified during geocoding. Starting in 2012, this field has a value only if the crash is geocoded. The original district number indicated by the officer on the UCR is available in the variable District. The district boundaries are defined using an NMDOT shapefile. Starting with crashes in 2012, this field is derived during geocoding. Before 2012, this field (SPDIST) was not derived through geocoding.

Variable Options

1

• 0

• 11

- -

6

• 9

• 12

• 3

7

10

• 13

• 4



34. GIS UTM X Coordinate

Database Field = GIS_UTMX

Source = Derived by GIS, crash-level variable

Type = Numeric

Length = 8

This field indicates the UTM X coordinate for the crash site. Indicates distance east from the origin for a UTM zone. Expressed in meters. The geographic coordinate reference is GCS North American, projection NAD 1983 UTM Zone 13N. This field became available starting in 2010.

35. GIS UTM Y Coordinate

Database Field = GIS_UTMY

Source = Derived by GIS, crash-level variable

Type = Numeric

Length = 8

This field indicates the UTM Y coordinate for the crash site. Indicates distance north from the origin for a UTM zone. Expressed in meters. The geographic coordinate reference is GCS North American, projection NAD 1983 UTM Zone 13N. This field became available starting in 2010.

36. GIS Latitude

Database Field = GIS_LAT

Source = Derived by GIS, crash-level variable

Type = Numeric

Length = 8

This field indicates the latitude coordinates for the crash site. The geographic coordinate reference is GCS WGS 1984, projection WGS 1984 Web Mercator Auxiliary Sphere. This field became available starting in 2010.

37. GIS Longitude

Database Field = GIS_LONG

Source = Derived by GIS, crash-level variable

Type = Numeric

Length = 8

This field indicates the longitude coordinates for the crash site. The geographic coordinate reference is GCS WGS 1984, projection WGS 1984 Web Mercator Auxiliary Sphere. This field became available starting in 2010.

38. Original Latitude

Database Field = LatitudeOrig

Source = UCR form, crash-level variable

Type = Character

Length = 25

This field indicates the original latitude entered on the UCR form. Usually blank or incomplete. Use GIS_LAT. This field became available starting in 2012.

39. Original Longitude

Database Field = LongitudeOrig

Source = UCR form, crash-level variable

Type = Character

Length = 25

This field indicates the original longitude entered on the UCR form. Usually blank or incomplete. Use GIS_LONG. This field became available starting in 2012.



40. Fatal or Injury Crash

Database Field = Fatal_Injury

Source = UCR form, crash-level variable

Type = Numeric [Convert to text using SAS format ORIGFI.]

Length = 3

This field indicates whether the crash was a fatal or injury crash, as indicated on the UCR form. It may be inaccurate and sometimes left blank. This field became available starting in 2012.

The variable Severity is more accurate because it is derived using the most-severe injury code reported out of all injury codes reported for the crash.

Variable Options

1 = Fatal crash

2 = Injury crash

99 = Left blank

41. Severity

Database Field = Severity

Source = Derived, crash-level variable

Type = Numeric [Convert to text using SAS format SEVERITY.] Length = 3

This field indicates the most severe level of injury in a crash and can be either fatal, injury or property damage only (PDO). Use this field to count the number of fatal or injury crashes. This variable is derived using the most-severe injury code reported out of all injury codes reported for the crash.

This is not the number of fatalities or injuries, as multiple people can be killed in a fatal crash, and multiple people can be injured in an injury crash. To count the number of *people* in crashes by level of injury, use the crash-level variables Killed, ClassA, ClassB, ClassC, Unhurt, and Total.

A non-fatal injury crash is a crash involving any injuries that are Class A (suspected serious injury), Class B (suspected minor injury) or Class C (other possible injury).

A PDO crash is entered into the crash database only if the officer at the scene of the crash identified more than \$500 in property damage. Note that PDO crashes are probably under-reported.

Variable Options

- 1 = Fatal crash
- 2 = Injury crash
- 3 = Property damage only crash



42. Crash Classification

Database Field = Class

Source = Crash-level variable

Type = Numeric [Convert to text using SAS format CLASS.] Length = 3

This field indicates the first harmful event that characterizes the crash type. The Crash Classification field on the UCR sets the limits for options in Analysis Code (immediately below). Starting with crashes in 2014, rollover and overturn crashes are coded separately.

- ✓ Because crash classification only indicates the first harmful event, the classification of pedestrian (code 3) and pedalcyclist (code 8) may not reliably indicate all pedestrian and pedalcyclist-involved crashes. The fields PEDINV and PECINV are more reliable for identifying pedestrian and pedalcyclist-involved crashes.
- ✓ A rollover is a crash in which a motor vehicle in transport rolls over 360 degrees or more with or without a prior crash. An overturn is a crash in which a motor vehicle in transport overturns at least 90 degrees but less than 360 degrees with or without a prior crash.

Variable Options

0 = Other 5 = Vehicle on other roadway 11 = Other object 1 = Overturn 6 = Parked vehicle 12 = Rollover

(rollover/overturn before 2014) 7 = Railroad train (available starting in 2014)

2 = Other non-collision 8 = Pedalcyclist 98 = Invalid code 3 = Pedestrian 9 = Animal 99 = Left blank

4 =Other vehicle 10 =Fixed object

43. Crash Classification Analysis Code

Database Field = Analysis

Source = UCR form, crash-level variable

Type = Numeric [Convert to text using SAS format ANALYSIS.] Length = 8

This field indicates the first harmful event that characterizes the specific manner of the crash type. The Analysis Code is a subfield of Crash Classification, which determines which codes can be used. For example, a crash classified primarily as an Overturn can have only analysis codes that apply to where the overturn happened (Right Side Road, Left Side Road, and On the Road). The Crash Classification identifies the type of crash, and the Analysis Code specifies precisely how the collision occurred.

- ✓ When the Analysis Code list on the crash report is not a valid option for the specified Crash Classification, the crash Analysis Code is changed to 98 during database cleaning to indicate an invalid code.
- ✓ Do not use this field to identify intersection, intersection-related or non-intersection crashes. The March 6, 2009 version of the crash form divided the "Other Vehicle" analysis codes into intersection and non-intersection-related, but these designations are no longer listed on the crash form.
- ✓ The crash classification analysis code field is a concatenation of the crash classification code and the 2-digit analysis code entered by the officer on the crash form. For example, a pedestrian crash (crash classification=3) involving a vehicle going straight (code 01 on the UCR form), will have an analysis code of 301 in the crash database.

Variable Options

MISSING DATA

98 = Invalid code

99 = Left blank

OVERTURN (Crash Classification = 1) (Before 2014, this included rollovers.)

- 100 = All other/Not stated
- 101 = Right side of road
- 102 = Left side of road
- 103 = On the road

OTHER NON-COLLISION (Crash Classification = 2)

- 201 = All other/Not stated
- 202 = Fire in vehicle Not result of crash
- 203 = Person fell/jumped/pushed from vehicle
- 204 = Trailer jackknifed
- 205 = Vehicle ran across open area
- 206 = Vehicle downhill into canyon/ravine
- 207 = Submersion in water/arroyo
- 208 =Submersion in water Dip in road
- 209 = Submersion in water Irrigation canal/ditch
- 210 =Submersion in water Lake
- 211 =Submersion in water Pond
- 212 =Submersion in water River
- 221 = Vehicle breakage resulting in injury or damage
- 222 = Accidental carbon monoxide poisoning
- 223 = Explosion of any part of vehicle
- 224 = Object or load falling in or from vehicle
- 225 = Occupant hit by object in vehicle
- 226 = Occupant thrown against part of vehicle
- 227 = Injury or damage from moving part of vehicle
- 228 = Injury or damage by object thrown in vehicle
- 229 = Toxic or corrosive chemicals leaking out
- 230 = Bridge collapse due to vehicle weight
- 231 = Roadway collapse due to vehicle weight
- 232 = Object fell on vehicle
- 233 = Vehicle striking holes or bumps on road surface
- 234 = Vehicle towing sled, tube, or other device

Continued on next page.



PEDESTRIAN (Crash Classification = 3)

- 301 = Vehicle going straight
- 302 = Vehicle turning right
- 303 = Vehicle turning left
- 304 = Vehicle backing
- 305 = All others and not known

OTHER VEHICLE (Crash Classification = 4)

- 400 = From opposite direction
 - ✓ After 2012, analysis code 400 (i.e. code 00) often means "all other/not stated".
- 401 = Both going straight/Entering at angle
- 402 = One right turn/Entering at angle
- 403 = One left turn/Entering at angle
- 404 = Both turning right/Entering at angle
- 405 = Both turning left/Entering at angle
- 406 = One stopped /Entering at angle
- 407 = All others/Entering at angle
- 408 = From same direction/Both going straight
- 409 = From same direction/One right turn
- 410 = From same direction/One left turn
- 411 = From same direction/Both turning right
- 412 = From same direction/Both turning left
- 413 = From same direction/One stopped
- 414 = From same direction/Vehicle backing
- 415 = From same direction/All others
- 416 = From opposite direction/Both going straight
- 417 = From opposite direction/One right turn
- 418 = From opposite direction/One left turn
- 419 = From opposite direction/Both turning left
- 420 = From opposite direction/All others
- 421 = From opposite direction/Head-on collision
- 422 = From opposite direction/Sideswipe collision
- 423 = From same direction/Rear end collision
- 424 = From same direction/Sideswipe collision
- 425 = One vehicle/Parked improper location
- 426 = One vehicle/Stopped in traffic
- 427 = One vehicle/Entering parked position
- 428 = One vehicle/Forward from parked position
- 429 = One vehicle/Back from parked position
- 430 = One vehicle/Entering driveway access
- 431 = One vehicle/Leaving driveway access
- 432 = One vehicle/Backing from driveway access
- 433 = One vehicle/ Backing from other than driveway
- 434 = One vehicle/Making a U-turn
- 435 = One vehicle/Not stated or all other
- 436 = One vehicle/Stalled in traffic
- 437 = From opposite direction One vehicle spun on roadway before being hit



- 438 = From same direction One vehicle spun on roadway before being hit
- 440 = Vehicle wrong way on divided highway Ramp used incorrectly
- 441 = Vehicle wrong way on divided highway Other improper entry
- 442 = Vehicle wrong way on divided highway U-turn from same lanes
- 443 = Vehicle wrong way on divided highway Access to road unknown
- 450 = Parts Tire
- 451 = Parts Lug nuts/wheel parts
- 452 = Parts Miscellaneous vehicle parts
- 453 = Trailer vehicle disconnected
- 454 = Towed vehicle disconnected
- 455 = Vehicle load fell Loose gravel/rocks
- 456 = Vehicle load fell Construction materials
- 457 = Vehicle load fell Trash/branches/etc.
- 458 = Vehicle load fell Furniture
- 459 =Vehicle load fell All other
- 460 = Gravel/rocks from roadway
- 461 = Snow/ice/slush
- 462 = Water

VEHICLE ON OTHER ROADWAY (Crash Classification = 5)

- 501 = Two vehicles previously on physically divided road
- 502 = Vehicle crossed intersection gore area
- 503 = Vehicle crossed shoulder to other roadway
- 504 = Vehicle crossed median Out of control
- 505 = Vehicle crossed median Making a U-turn
- 506 = Vehicle crossed median All other
- 510 = Not stated
- 520 = Parts Tire
- 521 = Parts Lug nuts/wheel parts
- 522 = Parts Miscellaneous vehicle parts
- 523 = Trailer disconnected
- 524 = Towed vehicle disconnected
- 525 = Vehicle load fell Loose gravel/rocks
- 526 = Vehicle load fell Construction materials
- 527 = Vehicle load fell Trash/branches/etc.
- 528 = Vehicle load fell Furniture
- 529 = Vehicle load fell All other
- 530 = Gravel/rocks from roadway
- 531 = Snow/ice/slush
- 532 = Water

PARKED VEHICLE (Crash Classification = 6)

- 600 = Unknown/not stated
- 601 = Vehicle parked in proper location
- 602 = Vehicle parked in improper location
- 603 = Vehicle backed into parked vehicle
- 604 = Parked vehicle disabled or abandoned



RAILROAD TRAIN (Crash Classification = 7)

700 = Train - Unknown/Not Stated

701 = Vehicle struck train

702 = Train struck vehicle

703 = Vehicle parked or stranded on track

704 = Train derailed and struck vehicle

705 = Other motorized railway device on tracks

PEDALCYCLIST (Crash Classification = 8)

800 = Unknown/all other

801 = Vehicle struck cyclist from behind

802 = Vehicle struck cyclist head on

803 = Vehicle struck cyclist at angle

804 = Cyclist struck vehicle

ANIMAL (Crash Classification = 9)

900 = Not stated

901 = Domestic animal – Other (cattle, horse, etc.)

 $902 = Game \ animal - Other$

903 = Other animal

904 = Bird - Other

911 = Cattle

912 = Horse

913 = Pig

914 = Sheep

915 = Goat (including Ibex)

921 = Deer

922 = Elk

923 = Bear

924 = Antelope (including Oryx and Pronghorn)

925 = Cougar

931 = Dog

932 = Cat

933 = Porcupine

934 = Skunk

935 = Badger

936 = Coyote

941 = Eagle

942 = Hawk

943 = Crow

944 = Buzzard

Continued on next page.



FIXED OBJECT (Crash Classification = 10)

1000 = Unknown/not stated 1024 = Utility or telephone pole 1001 = Abutment or pier 1025 = Traffic signal standard

1002 = Barricade1026 = Parking meter1003 = Bridge1027 = Barbed-wire fence1004 = Building1028 = Boulder/rocks1005 = Cattle Guard1029 = Cliff wall

1006 = Construction material/equipment 1030 = Dry arroyo

1007 = Culvert or drainpipe (cement) 1031 = Dry irrigation ditch

1008 = Ditch 1032 = Dumpster/trash receptacles 1009 = Drain or Drain cover (manhole) 1033 = Embankment (rock, stone)

1010 = Embankment (Earth) 1034 = Embankment, manmade (concrete, wire mesh)

1011 = Equipment (work or construction) 1035 = Embankment (material type unknown)

1012 = Fence (wood, brick, stone) 1036 = Mailbox

1013 = Fire hydrant 1037 = Manmade items (phone boxes, picnic tables, etc.)

1014 = Guard or reflector posts 1038 = Overhead wires 1015 = Gas meter 1039 = Overpass 1016 = Guardrail 1040 = Railroad gate

1017 = Guardrail at bridge or culvert 1041 = Railroad signals/signs

1018 = Hydro cell or Tor Shock device 1042 = Railroad track

1019 = Light standard (light pole) 1043 = Roadway divider – Concrete Jersey bounce

1020 = Median raised or curb 1021 = Sign or signpost (traffic) 1044 = Roadway divider – Concrete wall 1045 = Roadway divider – Fence

1022 = Sign or signpost (commercial) 1046 = Shrubs/vegetation

1023 = Tree

OTHER OBJECT (Crash Classification = 11)

1100 = Unknown/not stated

1101 = Animal drawn/Animal with rider

1102 = Object dropped from other vehicle (not in motion)

1103 = Fallen trees, rocks (landslide, flood)

1110 = Animal-drawn vehicle

1111 = Animal carrying a person

1112 = Streetcar

1113 = Railway devices moved by human power

1121 = Object dropped from vehicle – Construction material

1122 = Object dropped from vehicle – Furniture

1123 = Object dropped from vehicle – Load from large truck

1124 = Object dropped from vehicle – Trash, branches, etc.

1125 = Object dropped from vehicle – Tire

1126 = Object dropped from vehicle – Vehicle part

1127 = All other

1130 = Fallen tree

1131 = Boulder/rock

1132 = Landslide material

1133 = Avalanche material

1134 = Other material resulting from landslide, flood, winds



ROLLOVER (Crash Classification = 12) (available starting in 2014)

1200 = All other/Not stated

1201 =Right side of road

1202 = Left side of road

1203 = On the road

44. Original Analysis Code

Database Field = AnalysisName

Source = UCR form, crash-level variable

Type = Character

Length = 60

This field indicates the analysis code reported on the UCR form. Use the field Analysis, since AnalysisName generally contains only a 2-digit number which, depending on crash classification, can have different meanings.

45. Location of First Harmful Event

Database Field = CrashOccurrence

Source = UCR form, crash-level variable

Type = Numeric [Convert to text with SAS format ROADREL.]

Length = 3

This field indicates roughly where the first harmful event in the crash occurred in relation to the trafficway: whether it occurred on the road itself, or off the roadway (on the shoulder, on the median, etc.).

A crash is classified On-roadway if the first harmful event occurs in that portion of the traffic way designed, improved and ordinarily used for vehicular travel. If during the first harmful event of the crash, the motor vehicle occupied any portion of the roadway, the crash should be considered to have occurred on the roadway. Note that it includes the centerline but should exclude the median, shoulder, roadside and sidewalk. Off-roadway applies to any crash in which the first harmful event occurs off the roadway. A crash in which the first harmful event occurs on the shoulder (paved or unpaved), roadside, median, or sidewalk should be classified by the officer as Off-roadway.

Variable Options

1 = On roadway

2 = Off roadway

99 = Left blank

46. Hit-and-Run

Database Field = HitRun

Source = UCR form, crash-level variable

Type = Numeric [Convert to text with SAS format HITRUN.]

Length = 3

This field indicates identifies crashes in which the vehicle or the driver of the vehicle which made contact in the crash leaves the scene without stopping to render aid or report the crash. Hit-and-run crashes in which there is only property damage are probably very under-reported.

Variable Options:

0 = No

98 = Invalid code

1 = Yes

99 = Left blank



47. Light

Database Field = Light

Source = UCR form, crash-level variable

Type = Numeric [Convert to text using SAS format LIGHT.] Length = 3

This field indicates the light condition at the time of the crash. This item may be coded according to conditions when the officer arrived at the crash site, not when the crash occurred. The category "Other and not stated" is a checkbox on the UCR form. In 2012, crashes with missing Light data were grouped under code 6 ("Other and not stated") but starting in 2013 were designated as code 99 ("Left blank").

Variable Options:

1 = Daylight 6 = Other or not stated 2 = Dawn 98 = Invalid code3 = Dusk 99 = Left blank

4 = Dark - lighted 0 = Missing data (pre-2012 code)

5 = Dark - not lighted

48. Private Property

Database Field = PrivateProperty

Source = UCR form, crash-level variable

Type = Character [Convert to text using SAS format YESNO.] Length = 36

This field indicates whether the crash occurred on private property. This field became available starting in 2012. Generally, private property crashes are not entered in the crash database. Starting in 2014, private property fatal or injury crashes are entered into the crash database, but are automatically excluded from any analysis because they do not occur on public roadways.

Officers may have a difficult time correctly identifying private-property crashes. A crash should be considered private property if it occurs and is entirely contained within a location that is not owned by the public. If a crash starts on private property but the first harmful event occurs on a public roadway, then it should be not classified as private property. For example, a crash where a driver loses control of their vehicle backing from their private driveway and impacts a vehicle on the roadway should not be classified as private property. In the reverse, if a vehicle leaves the roadway and impacts a tree in a residential front yard, that should not be classified as private property. A military base or gated community that restricts access is considered private property. On higher education property, however, crashes occurring on roadways, but not in parking lots, that are designed to manage the public traffic flow in and out of the property are considered crashes on public roadways.

Variable Options

0 = No 98 = Invalid code 1 = Yes 99 = Left blank



49. Property Damage Only

Database Field = PropertyDamage

Source = UCR form, crash-level variable

Type = Numeric [Convert to text with SAS format PROPDAMG.] Length = 8

This field is intended to indicate a crash that did not involve injuries or death but resulted in more than \$500 in property damage (a.k.a. a PDO crash). However, officers often check the property damage boxes when there is both an injury and property damage. Use the field Severity to identify crashes involving only property damage. The field Severity is more reliable than PropertyDamage, because it is derived using the injury codes reported on the UCR. Generally, non-injury crashes that involved less than \$500 in property damage are not entered into the crash database. This field became available starting in 2012.

Variable Options

0 = Unknown 98 = Invalid code1 = Under \$500 99 = Left blank

2 = \$500 or more

50. Weather

Database Field = Weather

Source = UCR form, crash-level variable

Type = Numeric [Convert to text with SAS format WEATHER.] Length = 3

This field indicates the weather condition at the time of the crash. This item may be coded according to conditions when the officer arrived at the crash site, not when the crash occurred. Before 2013, crashes with missing weather data were assigned code 0 (Not stated).

Variable Options

1 = Clear 7 = Other 2 = Raining 8 = Sleet or hail 3 = Snowing 98 = Invalid code 4 = Fog 99 = Left blank

5 = Dust 0 = Not stated (pre-2012 code)

6 = Wind

51. Road Character

Database Field = RoadCharacter

Source = UCR form, crash-level variable

Type = Numeric [Convert to text with SAS format RDCHAR.] Length = 3

This field indicates whether the road is straight or curved at the crash site.

Variable Options:

1 = Straight 98 = Invalid code 2 = Curve 99 = Left blank

0 = Not stated (pre-2012 code)



52. Road Grade

Database Field = RoadGrade

Source = UCR form, crash-level variable

Type = Numeric [Convert to text with SAS format RDGRADE.] Length = 3

This field indicates the level of slope of the road at the crash site.

Variable Options

1 = Level 4 = Dip or sag

2 = Hillcrest 0 = Not stated (pre-2012 code)

3 = On grade 99 = Left blank

53. Station Report

Database Field = StationReport

Source = Derived, crash-level variable

Type = Character Length = 5

This field indicates whether the crash was reported at a police station, instead of the police being called to the crash site. Station reports are more likely to be incorrectly filled out because the person completing the UCR form is not a trained officer. This field became available starting in 2012.

Variable Options:

N = No

Y = Yes

54. Tribal Jurisdiction

Database Field = TribalJurisdiction

Source = UCR form, crash-level variable

Type = Numeric Length = 10

This field indicates whether the crash took place on reservation land, as identified by the officer on the UCR form. This field became available starting in 2012. In addition, see GIS_NatAmer_USCensus for GIS-derived data on crashes that took place on reservation land.

Variable Options:

N = No 99 = Left blank Y = Yes 98 = Invalid code

55. Killed

Database Field = Killed

Source = Derived from occupant-level record, crash-level variable

Type = Numeric Length = 3

This field indicates the number of people killed in a crash. The terms "fatalities" and "deaths" are synonymous with "killed." Use this variable to analyze the number of people killed for any crash-level variables, such as fatalities by county or hour of the day. This is not the number of fatal crashes, as there can be multiple people killed in one fatal crash. Use Severity to identify fatal crashes.



56. Suspected Serious Injuries

Database Field = ClassA

Source = Derived from occupant-level record, crash-level variable

Type = Numeric Length = 3

This field indicates the number of people with a suspected serious (Class A) injury in a crash (i.e. the injured person was incapacitated and had to be carried from the scene of the crash, or the injured person was unable to walk, drive or perform normal activities that he or she was capable of performing before the injury). Previously known as "Incapacitating Injury." Use this variable to analyze the number of people with Class A injuries for any crash-level variables, such as Class A injuries by county or hour of the day. This is not the total number of injury crashes, as there can be multiple people injured in one crash. See occupant-level data dictionary for details on the 2014 FHWA revision of the definition for suspected serious injuries.

57. Suspected Minor Injuries

Database Field = ClassB

Source = Derived from occupant-level record, crash-level variable

Type = Numeric Length = 3

This field indicates the number of people with a suspected minor (Class B) injury in a crash (i.e. a visible but not serious injury, such as abrasions, bruises and minor lacerations). Previously known as "Non-incapacitating Injuries" and "Visible Injuries." Use this variable to analyze the number of people with Class B injuries for any crash-level variables, such as Class B injuries by county or hour of the day. This is not the total number of injury crashes, as there can be multiple people injured in one crash.

58. Possible Injuries

Database Field = ClassC

Source = Derived from occupant-level record, crash-level variable

Type = Numeric Length = 3

This field indicates the number of people with a possible (Class C) injury in a crash (i.e. the person was not visibly injured but complained of an injury). Previously known as "Non-visible Injuries" and "Complaint of Injuries." Use this variable to analyze the number of people with Class C injuries for any crash-level variables, such as Class C injuries by county or hour of the day. This is not the total number of injury crashes, as there can be multiple people injured in one crash.

59. Injured

Database Field = Injured

Source = Derived from occupant-level record, crash-level variable

Type = Numeric Length = 3

This field indicates the number of people with non-fatal injuries in a crash. It is the sum of all people with Class A, Class B, and Class C injuries in a crash. Use this variable to analyze the number of people with non-fatal injuries for any crash-level variables, such as total non-fatal injuries by county or hour of the day. This is not the total number of injury crashes, as there can be multiple people injured in one crash. This field became available starting in 2012. Use Severity to identify injury crashes.



60. Unhurt

Database Field = Unhurt

Source = Derived from occupant-level record, crash-level variable

Type = Numeric Length = 3

This field indicates the number of people in a crash who were not injured. Use this variable to analyze the number of people not injured for any crash-level variables, such as by county or hour of the day. This is not the total number of property damage only crashes, as there can be multiple people not injured in one property damage only crash. Use Severity to identify property damage only crashes.

61. Total People in Crash

Database Field = Total

Source = Derived from occupant-level record, crash-level variable

Type = Numeric Length = 3

This field indicates the total number of people involved in a crash. This is not the total number of crashes, as there can be multiple people in one crash. Use this variable to analyze the total number of people in crashes for any crash-level variables, such as by county or hour of the day.

62. Number of Vehicles

Database Field = nVeh

Source = Derived from vehicle-level record, crash-level variable

Type = Numeric Length = 8

This field indicates the total number of motorized and non-motorized vehicles involved in the crash. Non-motorized vehicles are pedestrians and pedalcycles.

63. Original Number of Vehicles

Database Field = nVehOrig

Source = UCR form, crash-level variable

Type = Character Length = 15

This field indicates the original number of vehicles entered on the UCR form. For analysis of the number of vehicles in crashes, use the field nVeh, which is the number of vehicles in each crash as derived from the vehicle-level file after cleaning. This field became available starting in 2012.

64. Number of Motorized Vehicles

Database Field = MotorVeh

Source = Derived, crash-level variable

Type = Numeric Length = 3

The number of motorized vehicles involved in the crash.



65. Motorists

Database Field = Motorists

Source = Derived, crash-level variable

Type = Numeric Length = 3

This field indicates the number of people in motor vehicles in the crash. It does not include pedestrians, pedalcyclists, and people in vehicles not in transport at the time of the crash (e.g. parked vehicles).

66. Non-Motorists

Database Field = NonMotorists

Source = Derived, crash-level variable

Type = Numeric Length = 3

This field indicates the number of people not in motor vehicles in transport in the crash, such as pedestrians and pedalcyclists, and people in parked vehicles. Nonmotorist are derived based whether the field TypeV contains values of 6 or 7, or the field DAParked contains a value of 1.

67. Top Factor Contributing to Crash

Database Field = TopCFacc

Source = Derived, crash-level variable

Type = Numeric [Convert to text with SAS format TOPCF.] Length = 8

This field indicates the top factor contributing to the crash and is derived hierarchically using the following priorities (highest to lowest) out of all the reported factors contributing to a crash that are listed in the Apparent Contributing Factors section of the UCR form. The top contributing factor may limit identification of other important factors in the crash. To analyze a particular contributing factor, use vehicle-level data which contains a field for each contributing factor.

Variable Options

1 = Alcohol/drug involved15 = Defective steering2 = Pedestrian error16 = Inadequate brakes3 = Disregarded traffic signal17 = Defective tires

4 =Passed stop sign 18 =Other mechanical defect

5 =Failed to yield right of way 19 =Road defect

6 = Excessive speed 20 = Avoid no contact – (with other) vehicle

7 = Speed too fast for conditions 21 = Avoid no contact – other (pedestrian, animal, etc.)

8 =Drove left of center 22 =Driverless moving vehicle

9 = Following too closely 23 = Vehicle skidded before applying brakes

10 = Made improper turn 24 = Driver inattention (includes cell phone/texting)

11 = Improper overtaking 25 = Other improper driving

12 = Improper lane change 26 = Other – No driver error

13 = Improper backing 27 = None

14 = Traffic control not functioning 28 = Missing data



68. Alcohol Involvement

Database Field = AlcInv

Source = Derived from vehicle-level field DAlc, crash-level variable

Type = Numeric [Convert to text with SAS format INV.]

Length = 3

This field indicates whether alcohol was involved in the crash. A crash is alcohol-involved when the UCR indicates that 1) a DWI citation was issued, 2) alcohol involvement was a contributing factor to the crash, or 3) a person in control of a vehicle (including a pedestrian or pedalcyclist) was suspected of being under the influence of alcohol. Includes alcohol use both over and under the legal limit. This is not the number of alcohol-involved drivers in crashes, as there may be multiple drivers under the influence of alcohol in one crash. Before 2012, codes 1, 2 or 3 all indicate alcohol involvement in the crash. The AlcInv field is derived from the vehicle-level DAlc field.

Variable Options

0 = Not involved

1 = Involved

69. Drug Involvement

Database Field = DrugInv

Source = Derived, crash-level variable

Type = Numeric[Convert to text with SAS format INV.]

Length = 3

This field indicates whether drugs or medication were involved in the crash. An indication on the UCR that 1) drug involvement was a contributing factor to the crash, or 2) a person in control of a vehicle (including a pedestrian or pedalcyclist) was suspected of being under the influence of drugs. Derived from the vehicle-level variable Drug. This is not the number of drug-involved drivers in crashes, as there may be multiple drivers under the influence of drugs in one crash. Before 2012, codes 1, 2 or 3 all indicate drug involvement in the crash.

➤ Data collection on drug involvement began in 2005. Prior to 2005, drug involvement was included in alcohol involvement. Reported increases in drug involvement after 2005 may be due to increased use of UCR forms that have "drug-involvement" as an option.

Variable Options

0 = Not involved

1 = Involved

70. Pedestrian Involvement

Database Field = PEDinv

Source = Derived from vehicle-level record, crash-level variable

Type = Numeric [Convert to text with SAS format INV.]

Length = 3

This field indicates whether any pedestrians were involved in the crash. A pedestrian is a person on foot, walking, running, jogging, hiking, sitting or lying down who is involved in a motor vehicle traffic crash. This is not the number of pedestrians in crashes, as there may be multiple pedestrians in one crash. This field is derived from the vehicle-level field DrSeatPos = PD.

Variable Options



0 = Not involved

1 = Involved

71. Motorcycle Involvement

Database Field = MCinv

Source = Derived from vehicle-level record, crash-level variable

Type = Numeric [Convert to text with SAS format INV.]

Length = 3

This field indicates whether any motorcycles or ATVs were involved in the crash. This is not the number of motorcyclists in crashes, as there may be multiple motorcyclists in one crash. This field is derived from the vehicle-level field VeBodyStyle (codes MC or AV), or the vehicle-level field DrSeatPos (code MD).

Variable Options

0 = Not involved

1 = Involved

72. Pedalcyclist Involvement

Database Field = PECinv

Source = Derived from vehicle-level record, crash-level variable

Type = Numeric [Convert to text with SAS format INV.]

Length = 3

This field indicates whether any pedalcyclists were involved in the crash. A pedalcyclist is a person riding a mechanism of transport that is powered solely by pedals. This is not the number of pedalcyclists in crashes, as there may be multiple pedalcyclists in one crash. This field is derived from the vehicle-level field DrSeatPos (code PC).

Variable Options

0 = Not involved

1 = Involved

73. Heavy Truck Involvement

Database Field = TRKinv

Source = Derived from the vehicle-level record, crash-level variable

Type = Numeric [Convert to text with SAS format INV.]

Length = 3

This field indicates whether any heavy trucks were involved in the crash. This is not the number of heavy trucks in the crash, as there may be multiple heavy trucks in one crash. This field is derived from vehicle-level field TypeV = 3, which consists of VeBodyStyle codes T2, T3, TU, TB, TD, TS, TX, TH, UT, UH and HE.

Variable Options

0 = Not involved

1 = Involved



74. Hazardous Material Involvement

Database Field = HZinv

Source = Derived from vehicle-level record, crash-level variable

Type = Numeric [Convert to text wth SAS format INV.]

Length = 3

This field indicates whether any hazardous material was involved in the crash. A crash involves hazardous material if any vehicle in the crash is listed as containing a chemical in the HazmatName field or the HazmatPlacard field indicates "Yes."

Variable Options

0 = Not involved

1 = Involved

75. Maximum Vehicle Damage

Database Field = MaxDam

Source = Derived from vehicle-level record

Type = Numeric [Convert to text with SAS format MAXDAM.] Length = 3

This field indicates the maximum vehicle damage out of all motor vehicles involved in the crash. Code 5 corresponds to minimal damage, and code 6 generally indicates complete destruction by fire. It is derived from the vehicle-level veDamageExtent field.

Variable Options

- 0 = Missing data
- 1 = Disabling damage (cannot be driven)
- 2 = Functional damage (affects operation of vehicle)
- 3 = Other vehicle damage (usually affects only appearance: dents, glass, cracks, trim)
- 4 = Other property damage (if no damage to vehicle, damage to other property involved)
- 5 = No damage (none apparent; usually injury incurred by occupant or pedestrian)
- 6 = Vehicle caught on fire as a result of the crash

76. Non-local Driver Involvement

Database Field = NonLocal

Source = Derived from vehicle-level record, crash-level variable

Type = Numeric [Convert to text with SAS format NONLOCAL.] Length = 3

This field indicates involvement of out-of-state drivers in the crash. It is derived from the vehicle-level variable Dresid.

Variable Options

- 0 = In-state drivers (All drivers in crash had a NM license or were NM residents.)
- 1 = Out-of-state drivers (All drivers in crash were out-of-state drivers.)
- 2 = Non-local state drivers (Code no longer used. Drivers are NM residents, but not local residents.)
- 3 = Both local and out-of-state drivers
- 99 = Missing data



77. Other Property – State Highway Property

Database Field = SHDTProp

Source = Derived, crash-level variable

Type = Numeric [Convert to text with SAS format SHDTPROP.] Length = 3

This field indicates crashes involving property of the State Highway Department. Starting in 2012, this variable is derived from pDesc, pType, pLastname, and pFirstname. This field is occasionally unreliable. While this field does well at identifying damaged state highway property, it tends to also identify damaged property belonging to any government agency and sometimes utility companies.

Variable Options

01 = Guardrail11 = Culverts02 = Bridge rail12 = Bridge structure03 = Concrete barrier wall (Jersey bounce)13 = Field or hog fence04 = Attenuator, crash cushion or sand barrels14 = Signal boxes05 = Chain-link fence15 = Delineators06 = Barbed wire fence16 = Mileposts

07 = Signs17 = Pavement gouges08 = Traffic signals20 = Chemical spill09 = Light poles21 = Sand or gravel spill10 = All other23 = Other load spills

78. Other Property – Property Type

Database Field = pType

Source = UCR form, crash-level variable

Type = Character Length = 85

This field indicates the type of other property (besides vehicles) damaged in the crash. This field is part of the UCR form section Other Property Involved, which lists private, business, or highway property (other than vehicles) damaged in the crash. Ideally, one should be able to identify damaged state highway property using pType "H," but this field is often unreliable or left blank. This field became available starting in 2012.

Variable Options

C = Commercial or business

H = NM Dept. of Transportation

P = Private

U = Unknown



79. Other Property - Description

Database Field = pDesc

Source = UCR form, crash-level variable

Type = Character

Length = 200

This field indicates the description of other property (besides vehicles) damaged in the crash and details of the damage. This field is part of the UCR form section Other Property Involved, which lists private, business, or highway property (other than vehicles) damaged in the crash. This field became available starting in 2012.

80. Other Property – Owner Last Name

Database Field = pLastName

Source = UCR form, crash-level variable

Type = Character

Length = 107

This field indicates the last name of the owner of other property (besides vehicles) damaged in the crash. This field is part of the UCR form section Other Property Involved, which lists private, business, or highway property (other than vehicles) damaged in the crash. This field contains personal identifiers. This field became available starting in 2012.

81. Other Property – Owner First Name

Database Field = pFirstName

Source = UCR form, crash-level variable

Type = Character

Length = 50

This field indicates the first name of the owner of other property (besides vehicles) damaged in the crash. This field is part of the UCR form section Other Property Involved, which lists private, business, or highway property (other than vehicles) damaged in the crash. This field contains personal identifiers. This field became available starting in 2012.

82. Other Property – Owner Middle Name

Database Field = pMiddleName

Source = UCR form, crash-level variable

Type = Character

Length = 36

This field indicates the middle name of the owner of other property (besides vehicles) damaged in the crash. This field is part of the UCR form section Other Property Involved, which lists private, business, or highway property (other than vehicles) damaged in the crash. This field contains personal identifiers. This field became available starting in 2012.

83. Other Property – Owner Address

Database Field = pAddress

Source = UCR form, crash-level variable

Type = Character

Length = 155

This field indicates the address of the owner of other property (besides vehicles) damaged in the crash. This field is part of the UCR form section Other Property Involved, which lists private, business, or highway property (other than vehicles) damaged in the crash. This field contains personal identifiers. This field became available starting in 2012.



84. Other Property – Owner City

Database Field = pCity

Source = UCR form, crash-level variable

Type = Character

Length = 37

This field indicates the city of residence of the owner of other property (besides vehicles) damaged in the crash. This field is part of the UCR form section Other Property Involved, which lists private, business, or highway property (other than vehicles) damaged in the crash. This field contains personal identifiers. This field became available starting in 2012.

85. Other Property – Owner State

Database Field = pState

Source = UCR form, crash-level variable

Type = Character

Length = 32

This field indicates the state of residence of the owner of other property (besides vehicles) damaged in the crash. This field is part of the UCR form section Other Property Involved, which lists private, business, or highway property (other than vehicles) damaged in the crash. This field contains personal identifiers. This field became available starting in 2012.

86. Other Property – Owner ZIP

Database Field = pZip

Source = UCR form, crash-level variable

Type = Character

Length = 35

This field indicates the ZIP code of the owner of other property (besides vehicles) damaged in the crash. This field is part of the UCR form section Other Property Involved, which lists private, business, or highway property (other than vehicles) damaged in the crash. This field contains personal identifiers. This field became available starting in 2012.

87. Other Property – Owner Phone

Database Field = pPhone

Source = UCR form, crash-level variable

Type = Character

Length = 110

This field indicates the phone number of the owner of other property (besides vehicles) damaged in the crash. This field is part of the UCR form section Other Property Involved, which lists private, business, or highway property (other than vehicles) damaged in the crash. This field contains personal identifiers. This field became available starting in 2012.

88. Witness Present

Database Field = WitnessPresent

Source = UCR form, crash-level variable

Type = Numeric

Length = 3

This field indicates whether witnesses to the crash were listed on the UCR form. A value of 1 indicates one or more witnesses. This field became available starting in 2012.



89. Time Notified

Database Field = TimeNotified

Source = UCR form, crash-level variable

Type = Character

Length = 5

This field indicates the time the investigating officer was notified of the crash, in military time. This field became available starting in 2012.

90. Time Arrived

Database Field = TimeArrived

Source = UCR form, crash-level variable

Type = Character

Length = 5

This field indicates the time the investigating officer arrived at the crash site, in military time. This field became available starting in 2012.

91. Notified By

Database Field = NotifiedBy

Source = UCR form, crash-level variable

Type = Character

Length = 60

This field indicates the means by which the agency or officer learned of the crash and its location. This usually refers to dispatch, another officer, or the officer who witnessed the crash. This field contains personal identifiers. This field became available starting in 2012.

92. Supervisor on Scene

Database Field = SupervisorOnScene

Source = UCR form, crash-level variable

Type = Character

Length = 50

This field indicates the name, rank, and badge identification of the supervising officer at the scene, if any. This field contains personal identifiers. This field became available starting in 2012.

93. Checked By

Database Field = CheckedBy

Source = UCR form, crash-level variable

Type = Character

Length = 50

This field indicates the name, rank, and badge identification of the officer who reviewed and approved the UCR. This field contains personal identifiers. This field became available starting in 2012.



94. Officer Signature Present

Database Field = OfficersSignaturePresent Source = UCR form, crash-level variable

Type = Character

This field indicates whether the investigating officer signed his or her name on the UCR. This field became available starting in 2012.

Variable Options

- No
- Yes

95. Officer at Scene

Database Field = OfficerAtScene

Source = UCR form, crash-level variable

Type = Character

Length = 50

Length = 20

This field indicates the name, rank, and badge identification of the primary investigating officer. In self-reported crashes (i.e. station reports), this field may contain the name of a driver in the crash. This field contains personal identifiers. This field became available starting in 2012.

96. Officer Badge Number

Database Field = BadgeNumber

Source = UCR form, crash-level variable

Type = Character

Length = 200

This field indicates the badge number of the primary investigating officer. The badge number is prefixed with the agency code, followed by a dash and then the badge number. This field contains personal identifiers. This field became available starting in 2017.

97. District

Database Field = District

Source = UCR form, crash-level variable

Type = Character

Length = 25

This field indicates the district in which the crash happened, according to the responding law enforcement agency. This is the internal district numbering system that the agency uses for its patrol areas and may differ from agency to agency. This field became available starting in 2012.

98. Report Date

Database Field = ReportDate

Source = UCR form, crash-level variable

Type = Date

Length = 8

This field indicates the date the law enforcement agency completed the UCR form. The date is entered as MM/DD/YYYY. The date of 09/09/2009 or 09/09/9999 is sometimes used to indicate missing data. This field became available starting in 2012.



99. Number of Drawings

Database Field = NumberOfDrawings Source = UCR form, crash-level variable

Type = Character

Length = 20

This field indicates the number of diagrams of the crash scene included with the UCR form. This field became available starting in 2012.

100. Drawings By

Database Field = DrawingsBy

Source = UCR form, crash-level variable

Type = Character

Length = 55

This field indicates the name, rank, and badge identification of the officer who drew the diagrams, if any. This field contains personal identifiers. This field became available starting in 2012.

101. Measurements Taken By

 $Database\ Field = Measurements Taken By$

Source = UCR form, crash-level variable

Type = Character

Length = 115

This field indicates the name, rank, and badge identification of the officer who took measurements at the crash scene, if any. This field contains personal identifiers. This field became available starting in 2012.

102. Case Number

Database Field = CaseNumber

Source = UCR form, crash-level variable

Type = Character

Length = 30

This field indicates the case number assigned to a particular crash by a law enforcement agency and is used for internal purposes by the issuing agency. This field became available starting in 2012.

103. NMDOT Number

Database Field = NMDOTNumber

Source = UCR form, crash-level variable

Type = Character

Length = 23

This field indicates the state- issued identification number assigned by NMDOT for Excel versions of the UCR form. This field became available starting in 2012.



104. CAD Number

Database Field = CADNumber

Source = UCR form, crash-level variable

Type = Character

Length = 20

This field indicates the CAD number (computer-aided dispatch number) assigned by a law enforcement agency and used for internal purposes by the issuing agency. This field became available starting in 2012.

105. Form ID

Database Field = FormID

Source = Created during data entry process, crash-level variable

Type = Character

Length = 30

This field indicates the particular version of the official state UCR form used. This field became available starting in 2012.

Variable Options

- UCR E January 2011
- UCR April 2009 Revised
- UCR E April 2009
- UCR Mar 6 2009 revised
- UCR April 4 2006 Revised
- UCR March 26 2006
- UCR Feb 8 2006 Revised
- UCR Apr 2005
- UCR April 4 2005 Revised
- UCR Feb 9 2005 Revised
- UCR March 2005 Revised
- UCR March 28 2005 Revised
- E Form Unknown
- UCR Unknown

106. Form Method

Database Field = FormMethod

Source = Created during data entry process, crash-level variable

Type = Character

Length = 22

This field indicates the method the agency used to complete the UCR form and submit it to NMDOT for data entry into the crash database. This field became available starting in 2012.

The value "TraCS XML" identifies crash data submitted by law enforcement agencies to NMDOT using a TraCS database data transfer file (XML file) with an accompanying PDF of the crash report. This transfer method is the most reliable for data quality because it bypasses the need for scanning and data entry. All other transfer methods require the crash report to be manually scanned and data entered. This includes all crash reports submitted electronically to NMDOT as PDF or TIFF files, as well as handwritten reports and hardcopy (printouts). The value "TraCS" identifies crash reports submitted to NMDOT as a TraCS hardcopy printout or as a PDF created from TraCS with no accompanying XML file.

Variable Options

- Electronic
- FTP
- Handwritten
- TraCS
- TraCS XML
- Typed
- Unknown



107. Form ID Kofax

Database Field = FormIDKofax

Source = Created during data entry process, crash-level variable

Type = Character Length = 20

This field indicates the form type template used for data entry. This field is only available for 2012 and 2013.

Variable Options

- 2005_4CAR
- 2009A_4CAR
- 2009B_4CAR
- ANYCRASHREPORT_4CAR

- ANYCrashReport_V21
- CrashReport_V22
- TRACS_CRASHREPORT
- TRACS_CRASHREPORT_V2

108. Classification Result

Database Field = Classification_Result

Source = Created during data entry process, crash-level variable

Type = Character Length = 16

This field indicates the report designation assigned by TRU for internal data entry purposes. This field became available starting in 2012.

Variable Options

- 2005_1CAR
- 2005_2CAR
- 2005_3CAR
- 2005_4CAR
- 2009A_1CAR

2009A_2CAR

- 2009A 3CAR
- 2009A_4CAR
- 2009B_1CAR

- 2009B_2CAR
- 2009B_3CAR
- 2009B_4CAR
- ACR_1Car
- ACR_2Car
- ACR_3Car
- ACR_4Car
- CRASHREPORT
- CRASHREPORT_1CAR

- CRASHREPORT_2CAR
- CRASHREPORT_3CAR
- CRASHREPORT_4CAR
- TRACS_1CAR
- TRACS_2CAR
- TRACS_3CAR
- TRACS_4CAR

109. Batch Number

Database Field = SysBatchNumber

Source = Created during data entry process, crash-level variable

Type = Character Length = 25

This field indicates the number assigned to each batch of UCR forms transferred from NMDOT to TRU for data entry. It is for internal data entry purposes. This field became available starting in 2012.



110. System Scan

Database Field = SysScanDate

Source = Created during data entry process, crash-level variable

Type = Numeric [Displayed with SAS date MMDDYY10.]

Length = 8

This field indicates the date when the UCR was scanned for data entry. Format is MM/DD/YYYY. For crash data received via the TraCS XML data transfer, this is the date UNM downloaded the crash data from TraCS. This field became available starting in 2012.

111. Stamp Date

Database Field = StampDate

Source = Created during data entry process, crash-level variable

Type: Numeric [Displayed with SAS date MMDDYY10.]

Length: 8

This field indicates the date when the UCR was received by NMDOT from the agency that completed the UCR. For hardcopy reports, it is a date stamped on the back of each UCR. For FTP e-deliveries (hardcopy UCRs in digital format), it should be the date downloaded by UNM. For crash data received via a TraCS XML data transfer, this is the date the law enforcement agency uploaded the data to the TraCS system and made it available to UNM for download. Format is MM/DD/YYYY. The date of 09/09/2009 or 09/09/9999 is sometimes used to indicate missing data. This field became available starting in 2012.

112. KTM User

Database Field = KTM User

Source = Created during data entry process, crash-level variable

Type = Character Length = 26

This field indicates the data entry operator ID for internal data entry tracking. This field contains personal identifiers and is not available for analysis.

113. Original UCR Number

Database Field = UCRorig

Source = Created during data entry process, crash-level variable

Type = Character Length = 13

This field indicates the original UCR used by the law enforcement agency. It contains a value only when the UCR number was reassigned during data entry in order to prevent duplicate UCR numbers in the crash database.



114. TraCS Data

Database Field = TraCS

Source = Created during TraCS data transfer process, crash-level variable

Type = Character [Convert to text with SAS format \$YESNO.] Length = 1

This field indicates the data was provided by a law enforcement agency as a TraCS database transfer file (XML file) with an accompanying PDF file of the crash report. This field became available starting in 2015.

Variable Options

0 = No

1 = Yes

115. File Location

Database Field = Loc

Source = Created during data entry process, crash-level variable

Type = Character Length = 145

This field indicates a data entry network file location for internal tracking. This field contains personal identifiers. This field became available starting in 2012.

116. Image Location

Database Field = ImageLoc

Source = Copied from crash-level field Loc

Type = Character

Length = 145

This field indicates the network file location of the image of the crash report for internal use only. This field contains personal identifiers and is not available for analysis. See crash-level data dictionary for details. This field is copied from crash-level data and repeated for each occupant.



List of Database Fields

Agency10	GIS_County	15
AlcInv43	GIS_LAT	28
Analysis30	GIS_LONG	28
AnalysisName36	GIS_MaintDist	27
AStreet22	GIS_Milepost	24
BadgeNumber50	GIS_NatAmer_USCensus	26
BStreet22	GIS_Route	24
CADNumber52	GIS_SPDist	27
CaseNumber51	GIS_TransDist	27
CheckedBy49	GIS_UrbanRural	25
City16	GIS_UTMX	28
CityOrig21	GIS_UTMY	28
Class30	HitRun	36
ClassA40	Hour	9
ClassB40	HzInv	45
ClassC40	ImageLoc	55
Classification_Result53	Injured	40
County15	Killed	39
CountyOrig15	KTM_User	54
CrashDate8	Landmark	23
CrashDirection26	LatitudeOrig	28
CrashOccurrence36	Light	37
Day9	Loc	55
DirectionFromLandmark23	LongitudeOrig	28
District50	MaxDam	45
DrawingsBy51	MCinv	44
DrugInv43	Measurement	23
Fatal_Injury29	MeasurementsTakenBy	51
FormID52	MeasurementUnit	23
FormIDKofax53	MilepostOrig	24
FormMethod52	MilitaryTime	9
GIS_Astreet22	Month	8
GIS_Bstreet22	Motorists	42
GIS_CityUSCensus21	MotorVeh	41



NMDOTNumber51	RoadCharacter
NonLocal45	RoadGrade
NonMotorists42	Severity
NotifiedBy49	SHDTProp
NumberOfDrawings51	StampDate
nVeh41	StationReport
nVehOrig41	SupervisorOnSce
OfficerAtScene50	SysBatchNumber
OfficersSignaturePresent50	SysScanDate
pAddress47	System
pCity48	TimeArrived
pDesc47	TimeNotified
PECinv44	TopCFacc
PEDinv43	Total
pFirstName47	TraCS
pLastName47	TribalJurisdiction
pMiddleName47	TrkInv
pPhone48	UCRnumber
PrivateProperty37	UCRorig
PropertyDamage38	Unhurt
pState48	UrbnRurl
pType46	Weather
pZip48	WitnessPresent
ReportDate50	Year

RoadCharacter	38
RoadGrade	39
Severity	29
SHDTProp	40
StampDate	54
StationReport	39
SupervisorOnScene	49
SysBatchNumber	53
SysScanDate	54
System	25
TimeArrived	49
TimeNotified	49
TopCFacc	42
Total	4 1
TraCS	55
TribalJurisdiction	39
TrkInv	4
UCRnumber	8
UCRorig	54
Unhurt	4 1
UrbnRurl	25
Weather	38
WitnessPresent	48
Voor	•